

RATIFICACIÓN DE DOCUMENTOS EUROPEOS MARZO 2014

HOJA DE ANUNCIO

En cumplimiento del punto 11.2.6.4 de las Reglas Internas de CEN/CENELEC Parte 2, se ha otorgado el rango de norma española al Documento Europeo siguiente:

Documento Europeo	Título	Fecha de Disponibilidad
EN 62676-2-3:2014	Sistemas de videovigilancia para utilización en aplicaciones de seguridad. Parte 2-3: Protocolos de transmisión de vídeo. Implementación de la interoperabilidad IP basada en servicios web (Ratificada por AENOR en marzo de 2014.)	2014-01-17

Este anuncio causará efecto a partir del primer día del mes siguiente al de su publicación en la revista UNE. La correspondiente versión oficial de este documento se encuentra disponible en la sede de AENOR, Calle Génova 6, 28004 MADRID.

©..2014.. Derechos de reproducción reservados a los Miembros de .

**Video surveillance systems for use in security applications -
Part 2-3: Video transmission protocols -
IP interoperability implementation based on Web services
(IEC 62676-2-3:2013)**

Systèmes de vidéosurveillance destinés à
être utilisés dans les applications de
sécurité -
Partie 2-3: Protocoles de transmission
vidéo -
Mise en oeuvre de l'interopérabilité IP en
fonction des services Web
(CEI 62676-2-3:2013)

Videoüberwachungsanlagen für
Sicherungsanwendungen -
Teil 2 3: Videoübertragungsprotokolle -
IP-Interoperabilität auf Basis von
Webservices
(IEC 62676-2-3:2013)

This European Standard was approved by CENELEC on 2013-12-12. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 79/437/FDIS, future edition 1 of IEC 62676-2-3, prepared by IEC TC 79 "Alarm and electronic security systems" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62676-2-3:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-09-12
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-12-12

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62676-2-3:2013 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ITU-T G711	-	Pulse code modulation (PCM) of voice frequencies	-	-
ITU-T Recommendation X.680	1997	Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation	-	-
ITU-T Recommendation X.681	1997	Information technology - Abstract Syntax Notation One (ASN.1): Information object specification	-	-
ITU-T Recommendation X.682	1997	Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification	-	-
ITU-T Recommendation X.683	1997	Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications	-	-
ITU-T Recommendation X.690	1997	Information technology – ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)	-	-
NIST FIPS 180-2	-	Secure Hash Standard	-	-
IETF RFC 1305	-	Network Time Protocol, Version 3 - Specification and Implementation	-	-
IETF RFC 2131	-	Dynamic Host Configuration Protocol	-	-
IETF RFC 2136	-	Dynamic Updates in the Domain Name System (DNS UPDATE)	-	-
IETF RFC 2246	-	The TLS Protocol Version 1.0	-	-
IETF RFC 2326	-	Real time Streaming protocol (RTSP)	-	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IETF RFC 2435	-	RTP Payload Format for JPEG-compressed Video	-	-
IETF RFC 2616	-	Hypertext Transfer Protocol HTTP/1.1.	-	-
IETF RFC 2617	-	HTTP Authentication: Basic and Digest Access Authentication	-	-
IETF RFC 2782	-	A DNS RR for specifying the location of services (DNS SRV)	-	-
IETF RFC 3268	-	Advanced Encryption Standard (AES) Ciphersuites for Transport Layer Security (TLS)	-	-
IETF RFC 3315	-	Dynamic Host Configuration Protocol for IPv6 (DHCPv6)	-	-
IETF RFC 3550	-	A Transport Protocol for Real-Time Applications	-	-
IETF RFC 3551	-	RTP Profile for Audio and Video Conferences with Minimal Control	-	-
IETF RFC 3927	-	Dynamic Configuration of IPv4 Link-Local Addresses	-	-
IETF RFC 3984	-	RTP Payload Format for H.264 Video	-	-
IETF RFC 3986	-	Uniform Resource Identifier (URI): Generic Syntax	-	-
IETF RFC 4514	-	Lightweight Directory Access Protocol (LDAP): String Representation of Distinguished Names	-	-
IETF RFC 4566	-	SDP: Session Description Protocol	-	-
IETF RFC 4571	-	Framing Real-time Transport Protocol (RTP) and RTP Control Protocol (RTCP) Packets over Connection-Oriented Transport	-	-
IETF RFC 4702	-	The Dynamic Host Configuration Protocol (DHCP) Client Fully Qualified Domain Name (FQDN) Option	-	-
IETF RFC 4861	-	Neighbor Discovery for IP version 6 (IPv6)	-	-
IETF RFC 4862	-	IPv6 Stateless Address Autoconfiguration	-	-
W3C SOAP 1.2 Part 1	-	Messaging Framework	-	-
W3C SOAP Version 1.2 Part 2	-	Adjuncts (Second Edition)	-	-
OASIS Web Services Base Notification 1.3	-		-	-
OASIS Web Services Security Username Token Profile 1.0	-		-	-
W3C XML Schema Part 1	-	Structures Second Edition	-	-
W3C XML Schema Part 2	-	Datatypes Second Edition	-	-
W3C XML-binary Optimized Packaging	-		-	-

FOREWORD	21
INTRODUCTION	23
1 Scope	24
2 Normative references	26
3 Terms, definitions and abbreviations	29
3.1 Terms and definitions	29
3.2 Abbreviations	32
4 Overview	34
4.1 Web services	34
4.2 IP configuration	35
4.3 Device discovery	35
4.4 Device types	36
4.5 Device management	36
4.5.1 Capabilities	36
4.5.2 Network	37
4.5.3 System	37
4.5.4 Retrieval of system information	37
4.5.5 Firmware upgrade	38
4.5.6 System restore	38
4.5.7 Security	38
4.6 DeviceIO	38
4.7 Imaging configuration	39
4.8 Media configuration	39
4.8.1 General	39
4.8.2 Media profiles	39
4.9 Real-time streaming	43
4.10 Event handling	44
4.11 PTZ control	44
4.12 Video analytics	45
4.13 Analytics device	47
4.14 Display	47
4.15 Receiver	47
4.15.1 General	47
4.15.2 Synchronization points	48
4.16 Storage	48
4.16.1 Storage model	48
4.16.2 Recording	49
4.16.3 Search	50
4.16.4 Replay	50
4.17 Security	50
5 Web Services framework	51
5.1 Services overview	51
5.1.1 General	51
5.1.2 Services requirements	52
5.2 WSDL overview	52
5.3 Namespaces	53

5.4	Types	55
5.5	Messages	55
5.6	Operations	56
5.6.1	One-way operation type	57
5.6.2	Request-response operation type	58
5.7	Port types	58
5.8	Binding	58
5.9	Ports	58
5.10	Services	58
5.11	Error handling	58
5.11.1	Protocol errors	59
5.11.2	SOAP errors	59
5.12	Security	62
5.12.1	User-based access control	62
5.12.2	User token profile	63
6	IP configuration	64
7	Device discovery	65
7.1	General	65
7.2	Modes of operation	65
7.3	Discovery definitions	66
7.3.1	Endpoint reference	66
7.3.2	Hello	66
7.3.3	Probe and probe match	68
7.3.4	Resolve and resolve match	68
7.3.5	Bye	68
7.3.6	SOAP fault messages	69
7.4	Remote discovery extensions	69
7.4.1	Network scenarios	69
7.4.2	Discover proxy (DP)	71
7.4.3	Remote Hello and Probe behaviour	72
7.4.4	Client behaviour	73
7.4.5	Security	73
8	Device management	74
8.1	Capabilities	74
8.1.1	Get WSDL URL	74
8.1.2	Capability exchange	75
8.2	Network	78
8.2.1	Get hostname	78
8.2.2	Set hostname	78
8.2.3	Get DNS settings	79
8.2.4	Set DNS settings	80
8.2.5	Get NTP settings	81
8.2.6	Set NTP settings	82
8.2.7	Get dynamic DNS settings	83
8.2.8	Set dynamic DNS settings	84
8.2.9	Get network interface configuration	85
8.2.10	Set network interface configuration	85
8.2.11	Get network protocols	87
8.2.12	Set network protocols	88

This is a preview. Click here to purchase the full publication.

8.4.16	Load device certificate	131
8.4.17	Load device certificates in conjunction with its private key	132
8.4.18	Get certificate information request	133
8.4.19	Load CA certificates	134
8.4.20	Delete certificate	135
8.4.21	Get remote user	136
8.4.22	Set remote user	137
8.4.23	Get endpoint reference	138
8.5	Input/Output (I/O)	138
8.5.1	Get relay outputs	139
8.5.2	Set relay output settings	139
8.5.3	Trigger relay output	140
8.5.4	Auxiliary operation	141
8.6	Service specific fault codes	142
9	Device IO Service	148
9.1	VideoOutputs	148
9.1.1	General	148
9.1.2	GetVideoOutputs	148
9.2	VideoOutputConfiguration	149
9.2.1	GetVideoOutputConfiguration	149
9.2.2	SetVideoOutputConfiguration	149
9.2.3	GetVideoOutputConfigurationOptions	150
9.3	VideoSources	151
9.3.1	General	151
9.3.2	GetVideoSources	151
9.4	VideoSourceConfiguration	152
9.4.1	GetVideoSourceConfiguration	152
9.4.2	SetVideoSourceConfiguration	153
9.4.3	GetVideoSourceConfigurationOptions	153
9.5	AudioOutputs	154
9.5.1	General	154
9.5.2	GetAudioOutputs	154
9.6	AudioOutputConfiguration	155
9.6.1	GetAudioOutputConfiguration	155
9.6.2	SetAudioOutputConfiguration	156
9.6.3	GetAudioOutputConfigurationOptions	156
9.7	AudioSources	157
9.7.1	General	157
9.7.2	GetAudioSources	157
9.8	AudioSourceConfiguration	158
9.8.1	GetAudioSourceConfiguration	158
9.8.2	SetAudioSourceConfiguration	159
9.8.3	GetAudioSourceConfigurationOptions	159
9.9	Relay outputs	160
9.9.1	Get relay outputs	160
9.9.2	Set relay output settings	161
9.9.3	Trigger relay output	162
9.10	Service specific fault codes	163
10	Imaging configuration	164