

Table 5 (continued)


	Reference No. ISO 7010-M023
	Referent Use footbridge
	Function To signify that a footbridge must be used
	Image content Human figure walking on a footbridge
Hazard Moving vehicles, obstructions, or tripping or falling Human behaviour that is intended to be caused after understanding the safety sign's meaning Using the footbridge to avoid dangerous areas Related referents — Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.	

Table 5 (continued)


	Reference No. ISO 7010-M024
	Referent Use this walkway
	Function To signify that pedestrians must use a designated walkway
	Image content Human figure walking (left hand)
Hazard Areas unsafe for pedestrians Human behaviour that is intended to be caused after understanding the safety sign's meaning Pedestrians using the designated walkway Related referents ISO 7010-P004 Additional information Test data obtained according to ISO 9186-1:2007 are available from more than one country. Findings from testing showed that the safety sign did not reach the criteria of acceptability. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.	

Table 5 (continued)


	Reference No. ISO 7010-M025
	Referent Protect infants' eyes with opaque eye protection
	Function To signify that opaque eye protection must be worn by infants
	Image content Infant wearing opaque eye protection
Hazard Intense light incident on infant's eyes Human behaviour that is intended to be caused after understanding the safety sign's meaning Ensuring that the infant's eyes are protected before switching the equipment on or before placing the infant into the radiated area Related referents ISO 7010-M007 Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.	

Table 5 (continued)


	Reference No. ISO 7010-M026
	Referent Use protective apron
	Function To signify that the front of the body must be protected by an apron
	Image content Human figure with an apron
Hazard Front of body striking or being struck by objects or coming into contact with substances or materials Human behaviour that is intended to be caused after understanding the safety sign's meaning Protecting the front of the body Related referents ISO 7010-M010 Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.	

Table 6 — Description and application of referent for prohibition signs (category P)


	Reference No. ISO 7010-P001
	Referent General prohibition sign
	Function To signify a prohibited action
	Image content None
Hazard Risk to people specified by the supplementary sign Human behaviour that is intended to be caused after understanding the safety sign's meaning Not doing an action specified by the supplementary sign Related referents ISO 7010-M001, ISO 7010-W001 Additional information This safety sign cannot be used on its own and requires a supplementary sign to give further information about the action which is prohibited.	

Table 6 (continued)


	Reference No. ISO 7010-P002
	Referent No smoking
	Function To prohibit smoking
	Image content Cigarette (profile, outlined) with two wavy lines
Hazard Fire or explosion caused by lit cigarettes or other smoking materials or harm from the smoke Human behaviour that is intended to be caused after understanding the safety sign's meaning Not smoking Related referents ISO 7010-P003 Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.	

Table 6 (continued)


	Reference No. ISO 7010-P003
	Referent No open flame; Fire, open ignition source and smoking prohibited
	Function To prohibit smoking and all forms of open flame
	Image content Match (profile, outlined), flame
Hazard Fire or explosion caused by an open flame, open ignition source or smoking Human behaviour that is intended to be caused after understanding the safety sign's meaning Not having an open flame or open ignition source and not smoking Related referents ISO 7010-P002, ISO 7010-W021 Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.	

Table 6 (continued)


	Reference No. ISO 7010-P004
	Referent No thoroughfare
	Function To prohibit the use of a thoroughfare by pedestrians
	Image content Human figure walking (left hand)
Hazard Collision with vehicles or machinery Human behaviour that is intended to be caused after understanding the safety sign's meaning Not using the thoroughfare Related referents ISO 7010-M024 Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.	

Table 6 (continued)


	Reference No. ISO 7010-P005
	Referent Not drinking water
	Function To prohibit drinking of unsuitable water
	Image content Tap above glass, two wavy lines
Hazard Water unsuitable for drinking Human behaviour that is intended to be caused after understanding the safety sign's meaning Not drinking the water Related referents — Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.	

Table 6 (continued)

	Reference No. ISO 7010-P006
	Referent No access for forklift trucks and other industrial vehicles
	Function To prohibit the use of forklift trucks and other industrial vehicles
	Image content Forklift truck (left-hand profile) with human figure
Hazard Moving forklift trucks and other industrial vehicles Human behaviour that is intended to be caused after understanding the safety sign's meaning Not using forklift trucks and other industrial vehicles Related referents ISO 7010-W014 Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.	