



# AMERICAN NATIONAL STANDARD

*ANSI/ASSE Z117.1-2009*

*Safety Requirements  
for Confined Spaces*



ANSI/ASSE Z117.1-2009

The information and materials contained in this publication have been developed from sources believed to be reliable. However, the American Society of Safety Engineers (ASSE) as secretariat of the ANSI accredited Z117 Committee or individual committee members accept no legal responsibility for the correctness or completeness of this material or its application to specific factual situations. By publication of this standard, ASSE or the Z117 Committee does not ensure that adherence to these recommendations will protect the safety or health of any persons, or preserve property.

[This is a preview. Click here to purchase the full publication.](#)

**ANSI®**  
**ANSI Z117.1 – 2009**

**American National Standard**

**Safety Requirements  
for Confined Spaces**

Secretariat

**American Society of Safety Engineers**  
1800 East Oakton Street  
Des Plaines, Illinois 60018-2187

**Approved July 27, 2009**

**Effective November 2, 2009**

**American National Standards Institute, Inc.**

This is a preview. [Click here to purchase the full publication.](#)

## **American National Standard**

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. An American National Standard is intended as a guide to aid the manufacturer, the consumer, and the general public. The existence of an American National Standard does not in any respect preclude anyone, whether they have approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard. American National Standards are subject to periodic review and users are cautioned to obtain the latest editions.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no persons shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute.

Caution Notice: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of publication. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published August 2009 by:

**American Society of Safety Engineers**  
**1800 East Oakton Street**  
**Des Plaines, Illinois 60018-2187**  
**(847) 699-2929 • [www.asse.org](http://www.asse.org)**

Copyright ©2009 by American Society of Safety Engineers  
All Rights Reserved.

No part of this publication may be reproduced  
in any form, in an electronic retrieval system or  
otherwise, without the prior written permission  
of the publisher.

Printed in the United States of America

## **Foreword** (This Foreword is not a part of American National Standard Z117.1 – 2009.)

This standard was developed by an American National Standards Committee, national in scope, functioning under the procedures of the American National Standards Institute with the American Society of Safety Engineers (ASSE) as Secretariat. This standard provides minimum safety requirements to be followed while entering, exiting and working in confined spaces at normal atmospheric pressure.

It is intended that the procedures and performance requirements detailed herein will be adopted by every employer whose operations fall within the scope and purpose of the standard.

Neither the standards committee, nor the secretariat, feel that this standard is perfect or in its ultimate form. It is recognized that new developments are to be expected, and that revisions of the standard will be necessary as the art progresses and further experience is gained. It is felt, however, that uniform requirements are very much needed and that the standard in its present form provides for the minimum performance requirements necessary in developing and implementing a comprehensive confined space program for the protection of personnel.

In 1993 OSHA estimated that 238,000 establishments had permit required confined spaces. These establishments employed approximately 1.6 million workers, including contractors, who entered 4.8 million permit-required confined spaces annually. OSHA further estimated that 63 fatalities and 13,000 lost workdays and non-lost workday cases involving confined spaces entry occurred annually.

OSHA and NIOSH data during the period 1980-1993 indicates atmospheric conditions were the leading cause of death associated with confined space entry. The data indicates that oxygen deficiency, hydrogen sulfide, methane, and inert gases ranked as the leading specific atmospheric hazardous conditions. Engulfment was found to be second in terms of occurrence. Mechanical asphyxiation from loose materials such as grain, agricultural products, sand, cement, and gravel was dominant. Evidence suggests that the cause of death associated with confined space entry has not changed appreciably during recent years.

During revision of the 2003 version of the standard, the Z117 ASC reviewed current data and information addressing confined space incidents. A review of 200 confined space fatality cases from the Federal OSHA database occurring between 1993 and 2004 confirms that the distribution of causes has not changed to any significant degree. Approximately 65% of incidents with fatalities involved atmospheric contamination. Engulfment accounted for less than 10% of the identified causes.

It should be understood that the fatality cases in this sampling do not represent all U.S. confined space incidents resulting in fatalities. The mining, agriculture, and maritime sectors as well as various states with their own primary jurisdiction for safety and health enforcement are likely to be the source of many more cases not discussed within the Foreword of the Z117.1 Standard. Upon review of this data, much remains to be done, particularly in regards to verification of atmospheres for entrants prior to and during confined space activity.

The Z117 Committee acknowledges the critical role of design in influencing the safe entry of confined spaces. The failure to incorporate safety during the design process and overlooked design deficiencies can often increase the risk for entrants: examples are (1) means of entry (portals, hatchways, etc.) which are too small, improperly located, or that complicate/inhibit escape; (2) spaces which are convoluted, unnecessarily obstructed, or hazardously configured; (3) internal clearances which are too tight for safe passage; (4) space penetration distances which are excessive without alternative means of access or escape; (5) absence of appropriate devices to isolate all energy sources from the space; (6) no provision for vessel mechanisms/devices to prevent loose materials from bridging, compacting, etc. (7) lack of features that would enhance space ventilation effectiveness; (8) structural weaknesses in walls, floors, ceilings, or pipes containing gases, liquids, or steam, or which increase hazard risk to entrants while

working or coming in contact with stated structures in confined spaces; (9) absence of anchor points for retrieval devices.

The standard does not attempt to address these issues. It is believed they are best dealt with by the purchaser, employer, or owner during a project's design, acquisition, or construction. However, it is recommended that designers, manufacturers, and users make confined space design issues a priority when new or modified machinery, equipment, processes or facilities are contemplated.

For existing confined spaces, which have recognized design deficiencies, it should be the responsibility of those authorizing entry to either:

- modify or correct the deficiencies when possible, or
- employ alternate means to accomplish the work without exposing personnel, or
- develop and implement specific safe entry procedures for each confined space, or
- dismantle, open, remove, etc. the equipment/process rather than enter if the risk is deemed unacceptable.

The Z117 Committee solicits public input that may suggest revisions to the Standard. Such input should be sent to the Secretariat, American Society of Safety Engineers, 1800 East Oakton Street, Des Plaines, IL 60018-2187.

This standard was processed and approved for submittal to ANSI by American National Standards Committee on Confined Spaces Z117. Committee approval of the standard does not necessarily imply that all committee members voted for its approval. At the time it approved that standard, the Z117 Committee had the following members:

Edward V. Grund, CSP, P.E., Chair  
Terry Krug, CIH, CSP, Vice-Chair  
Timothy R. Fisher, CSP, CHMM, ARM, CPEA, Secretary  
Jennie Dalesandro, Administrative Technical Support

**Organization Represented**

**Name of Representative**

Alcoa, Inc.	Paul T. Woerz
Aluminum Association	Mark Eliopoulos
American Association of Occupational Health Nurses, Inc.	Carol A. Santee, RN, COHN-S, CCM
American Industrial Hygiene Association	Dean Burgess
American Petroleum Institute	Terry Krug, CIH, CSP
American Society of Safety Engineers	Neil McManus, MS, CIH, ROH, CSP
American Welding Society	Scott Wozniak, P.E.
Bayer MaterialScience LLC	Kendall C. Crawford, P.E., CSP
Beacon Safety Consulting, LLC	Edward V. Grund, CSP, P.E.
Beer Institute, The	Linda Moquet
Bret M. Clausen	Gus Manz
	Stephen Hedrick
	Terry Ketchum
	Ronald Miller, CSP
	Lester Jones
	Bret M. Clausen, CIH, CSP, CHMM, CHCM, ARM

Edison Electric Institute	Janet Fox
Ellis Fall Safety Solutions, LLC	Charles J. Kelly
FIRECON	Dr. J. Nigel Ellis, P.E., CSP, CPE
Hartford Steam Boiler	John Whitty, P.E.
International Safety Equipment Association	R. Craig Schroll, CSP
LJB, Inc.	Timothy C. Healey
MRE Consulting	Jerome Kucharski
McCulley, Eastham & Associates	Janice C. Bradley, CSP
Mine Safety Appliances Company	Cristine Z. Fargo
National Fire Protection Association	Craig J. Galecka, P.E., CSP
National Institute for Occupational Safety & Health	Thomas Kramer, P.E., CSP
National Stone, Sand & Gravel Association	Michael R. Roop
Property Casualty Insurers Association of America	L. Todd Eastham, CSHM, CIHM, RIHT, WSO-CSM
Safe Tran, LLC	Matt McCulley, ASP
Safety Management Inc.	Bob Apel
Safety Through Engineering	Rebecca Schulz
San Diego, City of	Guy R. Colonna, P.E.
Shell Chemical LP	David Trebisacci, CSP
Steel Tank Institute/Steel Plate Fabricators Association	Stephen Berardinelli, Jr., MS, CIH
United Automobile Workers of America	Virgil Casini
U.S. Department of Labor - OSHA	Ron McHaney, CSP
U.S. Department of the Navy	Michelle Copeland, CIH
Westar Energy, Inc.	Charles Boone, CIH
	Derek Boyd
	Daniel John O'Connell, CHST, REA
	Ana Isabel Garcia
	Dennis R. Howard
	Mike C. Wright, P.E., CPE, CSP
	Moniqua Suits
	Joe Wong
	Lloyd Schexnayder
	Wilson Frazier, CSP, CUSA
	Randy Hynek
	Mike Lee
	Sherrod Elledge
	Sherman Williamson
	William B. Zettler
	Douglas L. Craddock
	Lyrta E. Gochenouer
	Patrick E. Bush, CUSA
	Randy Bickford, CUSA

## Contents SECTION..... PAGE

1. General.....	10
1.1 Scope.....	10
1.2 Exceptions .....	10
1.3 Purpose .....	10
1.4 Application .....	10
2. Definitions.....	10
3. Identification and Evaluation.....	15
3.1 Confined Space Survey .....	15
3.2 Hazard Identification .....	15
3.3 Hazard Evaluation .....	16
3.4 Confined Space Classification .....	17
3.5 Hazard Re-Evaluation.....	18
3.6 Written Program.....	18
4. Non-Permit Confined Spaces (NPCS).....	18
4.1 Controls .....	18
4.2 Training.....	19
4.3 Re-Evaluation .....	19
4.4 Atmospheric Testing .....	19
5. Permit Required Confined Spaces (PRCS).....	19
5.1 Entry Permits .....	19
5.2 Permit Implementation.....	20
5.3 Duration of Permits .....	20
5.4 Revoking Permits.....	20
5.5 Changing Work Conditions .....	21
6. Atmospheric Testing.....	21
6.1 General Criteria .....	21
6.2 Testing Considerations .....	23
6.3 Acceptable Limits.....	24
7. Entry Team .....	25
7.1 Attendant .....	25
7.2 Entrant .....	26
7.3 Attendant(s)/Entrant(s) Communication .....	27
7.4 Entry Supervisor/Leader .....	27
8. Isolation and Lockout/Tagout .....	28
8.1 General .....	28
8.2 Isolation .....	28
8.3 Lockout/Tagout .....	30
9. Ventilation.....	30
9.1 Requirements .....	30
10. Cleaning/Decontamination .....	31
11. Personal Protective Equipment (PPE).....	32
11.1 General .....	32
11.2 Selection .....	32
11.3 Inspection .....	34



12. Auxiliary Equipment .....	35
12.1 Entry and Exit .....	35
12.2 Retrieval Equipment .....	35
12.3 Fall Prevention .....	35
12.4 Electrical Equipment .....	36
13. Warning Signs and Symbols .....	36
13.1 Identification .....	36
14. Emergency Response, Evacuation, and Rescue .....	36
14.1 Emergency Response Plan .....	36
14.2 Atmospheric Monitoring .....	38
14.3 Respiratory Protection Equipment .....	38
14.4 Rescue Equipment Inspection .....	38
15. Training .....	38
15.1 General Requirements .....	38
15.2 Training for Atmospheric Monitoring Personnel .....	39
15.3 Training for Attendants .....	40
15.4 Training for Emergency Response Personnel .....	40
15.5 Verification of Training .....	41
16. Medical Suitability .....	42
17. Contractors .....	42
17.1 Hazard Appraisal .....	42
17.2 Identification of Rescue Responder .....	43
17.3 Permit System .....	43
17.4 Coordination .....	44
17.5 Ongoing Dialogue .....	44

Appendices:

Appendix A Logic Diagram for Confined Space Entry .....	45
Appendix B References .....	46
Appendix C Examples of Confined Space Surveys and Permits .....	52

## Explanation of Standard

American National Standard Z117.1 uses a two-column format to provide both specific requirements and supporting information.

The left column, designated "Standard Requirements," is confined solely to these requirements. The right column, designated "Explanatory Information," contains only information that is intended to clarify the standard. This column is not a part of the standard.

Operating rules (safe practices) are not included in either column, unless they are of such a nature as to be vital safety requirements, equal in weight to other requirements, or guides to assist in compliance with the standard.