

Archives



American Water Works Association

ANSI/AWWA C601-81
(Revision of AWWA C601-68)

AWWA STANDARD
for
**DISINFECTING WATER
MAINS**

**AMERICAN NATIONAL
STANDARD**

*First edition approved by AWWA Board of Directors Sep. 30, 1947.
This edition approved Jun. 7, 1981.*

Approved by American National Standards Institute, Inc., Aug. 24, 1981.

AMERICAN WATER WORKS ASSOCIATION
6666 West Quincy Avenue, Denver, Colorado 80235

This is a preview. [Click here to purchase the full publication.](#)

Committee Personnel

The Standards Committee on Disinfection of Facilities, which reviewed and approved this standard, had the following personnel at the time of approval:

GEORGE W. ADRIAN, *Chairman*

Consumer Members

G. W. ADRIAN, California Water Service Co., San Jose, Calif.	(AWWA)
R. P. GRADY,* Portland Water District, Portland, Maine	(NEWWA)
W. E. NEUMAN, American Water Works Service Co., Haddon Heights, N.J.	(AWWA)
J. P. REAMES, Dallas City Water Utilities, Dallas, Texas	(AWWA)
C. H. SMITH, Kankakee Water Co., Kankakee, Ill.	(AWWA)
E. L. TYLER, Metropolitan District Commission, Framingham, Maine	(NEWWA)

General Interest Members

R. L. CARR, JR., BIF Industries, Inc., West Warwick, R.I.	(AWWA)
J. F. COERVER, State Board of Health, New Orleans, La.	(CSSE)
J. V. FEUSS, Cortland Health Department, Cortland, N.Y.	(AWWA)
C. B. HAGAR, Black & Veatch, Kansas City, Mo.	(AWWA)
J. W. SAUCIER, Tennessee Department of Public Health, Nashville, Tenn.	(CSSE)
T. W. WALKER, New York Department of Health, Victor, N.Y.	(AWWA)
MICHAEL WENTINK, Nebraska Department of Health, Scottsbluff, Neb.	(AWWA)
JOHN WILFORD, Department of Environmental Protection, Trenton, N.J.	(CSSE)
C. L. YOUNG, California Department of Health, San Francisco, Calif.	(AWWA)

Producer Members

R. J. FITZGERALD, Wallace & Tiernan Division, Belleville, N.J.	(AWWA)
--	--------

*Alternate

Table of Contents

SEC.	PAGE	SEC.	PAGE
Foreword		8	Redisinfection 9
I.	v	9	Disinfection Procedures
II.	v		When Cutting into
III.	vi		or Repairing Existing Mains 9
IV.	vi	9.1	Trench Treatment 9
		9.2	Swabbing with Hypochlorite
			Solution 9
		9.3	Flushing 9
		9.4	Slug Chlorination 9
		9.5	Sampling 10
Standard		10	Special Procedure for Caulked
1	1		Tapping Sleeves 10
1.1	1	Appendices	
1.2	1	A	Chlorine Residual Testing 11
1.3	1	A.1	DPD Drop Dilution Method
			(For Field Test) 11
		A.2	High Range Chlorine Test Kits 11
		B	Disposal of Heavily Chlorinated
			Water 12
2	2	Tables	
2.1	2	1	Ounces of Calcium Hypochlorite
2.2	2		Granules to Be Placed at
2.3	2		Beginning of Main and at Each
			500-ft Interval 4
		2	Number of 5-gram Hypochlorite
			Tablets Required for Dose of
			25 mg/L 5
		3	Required Flow and Openings to
			Flush Pipelines 5
		4	Chlorine Required to Produce
			25 mg/L Concentration in 100 ft
			of Pipe—by Diameter 7
		B1	Pounds of Chemicals Required
			to Neutralize Various Residual
			Chlorine Concentrations in
			100 000 gal of Water 12
3	2	Figure	
4	3	1	Suggested Combination Blowoff
4.1	3		and Sampling Tap 6
4.2	3		
4.3	3		
4.4	3		
4.5	3		
4.6	3		
4.7	4		
5	4		
5.1	4		
5.2	5		
5.3	7		
6	8		
6.1	8		
6.2	8		
7	8		
7.1	8		
7.2	8		
7.3	8		

This is a preview. [Click here to purchase the full publication.](#)