

**ANSI/CGA G-13—2006**

**STORAGE AND HANDLING  
OF SILANE AND  
SILANE MIXTURES**

**SECOND EDITION**



**COMPRESSED GAS ASSOCIATION, INC.**  
4221 Walney Road, 5th Floor  
Chantilly, VA 20151  
Phone: 703-788-2700  
Fax: 703-961-1831  
E-mail: [cga@cganet.com](mailto:cga@cganet.com)

**PLEASE NOTE:**

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the party, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our web site, [www.cganet.com](http://www.cganet.com).

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at [www.cganet.com](http://www.cganet.com). For more information contact CGA at Phone: 703-788-2700, ext. 799. E-mail: [customerservice@cganet.com](mailto:customerservice@cganet.com).

Work Item 00-65  
Specialty Gases Committee

NOTE—This publication supersedes and replaces CGA P-32, *Safe Storage and Handling of Silane and Silane Mixtures*.

NOTE—Appendices A and B (Informative) are for information only.

NOTE—Appendices C and D (Normative) are requirements.

SECOND EDITION: 2006 (G-13)  
FIRST EDITION: 2000 (P-32)

© 2006 The Compressed Gas Association, Inc. All rights reserved.

All materials contained in this work are protected by United States and international copyright laws. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical including photocopying, recording, or any information storage and retrieval system without permission in writing from The Compressed Gas Association, Inc. All requests for permission to reproduce material from this work should be directed to The Compressed Gas Association, Inc., 4221 Walney Road, Suite 500, Chantilly VA 20151. You may not alter or remove any trademark, copyright or other notice from this work.

## AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

**CAUTION NOTICE:** The American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken to periodically reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, 11 West 42nd Street, New York, NY 10036.

Approved as an American National Standard August 16, 2006.

Contents	Page
1 Introduction.....	1
2 Scope and purpose .....	1
2.1 Scope .....	1
2.2 Purpose .....	2
2.3 Equivalency .....	2
3 Definitions.....	2
4 Physical and chemical properties .....	8
4.1 Description.....	8
4.2 Properties .....	8
4.3 Pyrophoric nature of silane.....	8
4.4 Health hazards .....	10
4.5 Gaseous/liquid phase of silane.....	10
5 Packaging information.....	10
6 Outdoor storage and use.....	10
6.1 Applicability.....	10
6.2 General.....	10
6.3 Distances to exposures .....	13
6.4 Silane delivery systems.....	15
7 Indoor storage and use .....	19
7.1 Applicability.....	19
7.2 Indoor storage .....	19
7.3 Indoor use.....	19
7.4 Egress .....	20
7.5 Explosion control .....	20
7.6 Electrical requirements.....	20
7.7 Ventilation.....	20
7.8 Quantity limits .....	20
7.9 Separation from incompatible materials .....	21
7.10 Gas cabinets.....	21
7.11 Other requirements.....	21
8 System configuration—cylinder sources .....	22
8.1 Outdoor installations.....	22
8.2 Indoor installations.....	23
9 System configuration—bulk sources .....	25
9.1 Use equipment .....	25
9.2 Outdoor installations.....	25
9.3 Bulk containers .....	25
9.4 Pressure relief devices .....	27
9.5 Valve manifold box .....	27
10 Piping and components.....	27
10.1 Piping system design .....	27
10.2 Components .....	29
10.3 Support of piping systems .....	31
11 Gas and flame detection .....	31
11.1 Gas monitoring .....	31
11.2 Flame detection .....	32
12 Fire protection system.....	33

12.1	General.....	33
12.2	Outdoor systems .....	33
12.3	Indoor systems .....	34
13	Ventilation systems .....	34
13.1	Outdoor systems .....	34
13.2	Indoor systems .....	34
14	Venting and treatment .....	37
14.1	General.....	37
14.2	Disposal options .....	37
14.3	Treatment system requirements.....	37
14.4	Direct venting into exhaust ducts.....	37
14.5	Dedicated process vent.....	38
15	Purge gas system.....	38
15.1	Purging of the delivery system .....	38
15.2	Dedicated purge source .....	38
15.3	Controls .....	39
15.4	Vacuum generator purge gas source .....	40
16	Electrical requirements.....	40
16.1	General.....	40
16.2	Indoor electrical systems .....	41
16.3	Outdoor electrical systems .....	41
17	Fundamental supervisory control requirements .....	41
17.1	Indoor requirements .....	41
17.2	Outdoor requirements.....	41
18	References .....	42
19	Additional references.....	43

## Tables

Table 1—Physical and chemical properties of silane.....	9
Table 2—DOT packaging information.....	10
Table 3—Minimum distance from cylinder sources in storage or use to outdoor exposures.....	14
Table 4—Distance to exposures for outdoor silane trailers, ISO modules, and containers >450L in storage or use .....	15
Table 5—Minimum ventilation volumetric flow rate for gas cabinets and VMBs, unattended operations .....	36
Table 6—Minimum ventilation volumetric flow rate for exhausted enclosures, attended operations.....	36
Table 7—Indoor electrical requirements for silane systems containing silane in concentrations exceeding 1.37% by volume.....	40
Table 8—Outdoor electrical requirements—silane systems containing silane in concentrations exceeding 1.37% by volume.....	41
Table 9—Indoor requirements for supervisory control—silane systems containing silane in concentrations exceeding 1.37% by volume .....	42
Table 10—Outdoor requirements for supervisory control—silane systems containing silane in concentrations exceeding 1.37% by volume .....	42

## Figures

Figure 1—Instrument nomenclature .....	5
Figure 2—Support structure protection against flame impingement .....	16
Figure 3—Typical end user outdoor cylinder layout.....	17
Figure 4—Typical bulk source container layout (unattended operations) .....	18
Figure 5—Typical silane process gas panel .....	22
Figure 6—Typical silane purge gas panel .....	23
Figure 7—VMB flow schematic .....	25
Figure 8—Typical bulk system process flow diagram .....	26
Figure 9—Inert purge gas flow schematic.....	39

## Appendices

Appendix A—Personnel protection (Informative) .....	45
Appendix B—Silane compressibility (Informative) .....	47
Appendix C—Thermal radiation (Normative) .....	48
Appendix D—Overpressure (Normative) .....	49