

Edition 2.2 2013-08

CONSOLIDATED VERSION

VERSION CONSOLIDÉE



Degrees of protection provided by enclosures (IP Code)

Degrés de protection procurés par les enveloppes (Code IP)





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



Edition 2.2 2013-08

CONSOLIDATED VERSION

VERSION CONSOLIDÉE



Degrees of protection provided by enclosures (IP Code)

Degrés de protection procurés par les enveloppes (Code IP)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 13.260; 29.020 ISBN 978-2-8322-1086-4

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.





Edition 2.2 2013-08

REDLINE VERSION VERSION REDLINE



Degrees of protection provided by enclosures (IP Code)

Degrés de protection procurés par les enveloppes (Code IP)



CONTENTS

	FΟ	REWORD	5		
	INT	RODUCTION	7		
	INT	RODUCTION TO AMENDMENT 2	8		
l					
	1	Scope and object			
	2	ObjectNormative references			
ı	3	Definitions	10		
	4	Designations	12		
		4.1 Arrangement of the IP Code	12		
		4.2 Elements of the IP Code and their meanings	12		
		4.3 Examples for the use of letters in the IP Code	13		
	5	Degrees of protection against access to hazardous parts and against solid foreign objects indicated by the first characteristic numeral			
		5.1 Protection against access to hazardous parts	14		
		5.2 Protection against solid foreign objects	15		
	6	Degrees of protection against ingress of water indicated by the second characteristic numeral	16		
	7	Degrees of protection against access to hazardous parts indicated by the additional letter	18		
	8	Supplementary letters			
	9	Examples of designations with the IP Code			
		9.1 IP Code not using optional letters:	20		
		9.2 IP Code using optional letters:	20		
	10	Marking	21		
	11	General requirements for tests			
		11.1 Atmospheric conditions for water or dust tests	21		
		11.2 Test samples	21		
		11.3 Application of test requirements and interpretation of test results	21		
		11.4 Combination of test conditions for the first characteristic numeral	22		
		11.5 Empty enclosures	22		
	12	Tests for protection against access to hazardous parts indicated by the first characteristic numeral			
		12.1 Access probes	22		
		12.2 Test conditions	22		
		12.3 Acceptance conditions	24		
		12.3.1 For low-voltage equipment (rated voltages not exceeding 1 000 V a.c. and 1 500 V d.c.)	24		
		12.3.2 For high-voltage equipment (rated voltages exceeding 1 000 V a.c. and 1 500 V d.c.)	24		
		12.3.3 For equipment with hazardous mechanical parts	25		
	13	Tests for protection against solid foreign objects indicated by the first characteristic numeral	O.F.		
		13.1 Test means			
		13.2 Test conditions for first characteristic numerals 1, 2, 3, 4			
		10.2 1631 CONTRIBUTE TO THE CHARACTERISTIC HUMBER 1, 2, 3, 4	∠ე		

13.3 Acceptance conditions for first characteristic numerals 1, 2, 3, 4					
13.4	Dust te	st for first characteristic numerals 5 and 6	25		
13.5	Specia	I conditions for first characteristic numeral 5	27		
	13.5.1	Test conditions for first characteristic numeral 5	27		
	13.5.2	Acceptance conditions for first characteristic numeral 5	27		
13.6	Specia	I conditions for first characteristic numeral 6	27		
	13.6.1	Test conditions for first characteristic numeral 6	27		
	13.6.2	Acceptance conditions for first characteristic numeral 6	27		
Tests	for pro	tection against water indicated by the second characteristic numeral	27		
14.1 Test means					
14.2 Test conditions					
	14.2.1	Test for second characteristic numeral 1 with the drip box	29		
	14.2.2	Test for second characteristic numeral 2 with the drip box	29		
	14.2.3	Test for second characteristic numeral 3 with oscillating tube or spray nozzle	30		
	14.2.4		30		
	14.2.5				
	14.2.6	Test for second characteristic numeral 6 with the 12,5 mm nozzle	31		
	14.2.7	·	31		
	14.2.8	Test for second characteristic numeral 8: continuous immersion			
	14.2.9	•			
14.3		· · ·			
	•				
	•	·			
		·			
15.3	Accept	ance conditions	33		
			40		
	•	•			
iex B (Intorma	Summary of responsibilities of relevant technical committees	49		
liograp	ohy		51		
ıre 1 -	- Jointe	d test finger	34		
		-			
		• • • • • • • • • • • • • • • • • • • •			
ure 4 -	- Test d	evice to verify protection against spraying and splashing water;			
		,	01		
			38		
ure 6 -	- Test d	evice to verify protection against water jets (hose nozzle)	38		
ure 7 -	- Fan je	t nozzle dimensions	39		
	13.4 13.5 13.6 Tests 14.1 14.2 14.3 Tests 15.1 15.2 15.3 lex A () lographic and character and charac	13.4 Dust te 13.5 Special 13.5.1 13.5.2 13.6 Special 13.6.1 13.6.2 Tests for prof 14.1 Test me 14.2 Test co 14.2.1 14.2.2 14.2.3 14.2.4 14.2.5 14.2.6 14.2.7 14.2.8 14.2.9 14.3 Accepta Tests for prof 15.1 Access 15.2 Test co 15.3 Accepta In a Company of the condition of the con	13.3 Acceptance conditions for first characteristic numerals 1, 2, 3, 4		

Figure 8 – Fan jet nozzle resulting dimensions of spraying hole for checking purpose	39
Figure 9 – Fan jet nozzle examples	40
Figure 10 – Set-up for measuring the impact force of the water jet for determining the protection against high-pressure and temperature water jet, degree of protection against ingress of water IP X9	41
Figure 11 – Impact force distribution	41
Figure 12 – Test device to verify protection against high pressure and temperature water jet for small enclosures	42
Table 1 – Degrees of protection against access to hazardous parts indicated by the first characteristic numeral	15
Table 2 – Degrees of protection against solid foreign objects indicated by the first characteristic numeral	16
Table 3 – Degrees of protection against water indicated by the second characteristic numeral	18
Table 4 – Degrees of protection against access to hazardous parts indicated by the additional letter	19
Table 5 – Test conditions for degrees of protection indicated by the first characteristic numeral	22
Table 6 – Access probes for the tests for protection of persons against access to hazardous parts	23
Table 7 – Test means for the tests for protection against solid foreign objects	25
Table 8 – Test means and main test conditions for the tests for protection against water	28
Table 9 – Total water flow rate $q_{ m V}$ under IPX3 and IPX4 test conditions –	
Mean flow rate per hole q_{VI} = 0,07 l/min	31
IP Codes of examples in annex A	48

+A2:2013

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DEGREES OF PROTECTION PROVIDED BY ENCLOSURES (IP Code)

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This Consolidated version of IEC 60529 bears the edition number 2.2. It consists of the second edition (1989) [documents 70(CO)13 + 70(CO)15 and 70(CO)16 + 70(CO)17], its corrigendum 1 (2003), its corrigendum 2 (2007), its corrigendum 3 (2009), its amendment 1 (1999) [documents 70/91/FDIS and 70/92/RVD] and its amendment 2 [documents 70/122/FDIS and 70/123/RVD]. The technical content is identical to the base edition and its amendments.

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions and deletions are displayed in red, with deletions being struck through. A separate Final version with all changes accepted is available in this publication.

This publication has been prepared for user convenience.

60529 © IEC:1989+A1:1999

+A2:2013

International Standard IEC 60529 has been prepared by technical committee 70: Degrees of protection by enclosures.

Annexes A and B are for information only.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.