



Edition 4.1 2016-07

CONSOLIDATED VERSION



BASIC SAFETY PUBLICATION

Effects of current on human beings and livestock – Part 1: General aspects





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2016 IEC, Geneva, Switzerland



rved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form ans, electronic or mechanical, including photocopying and microfilm, without permission in writing from IEC's member National Committee in the country of the requester. If you have any questions about IEC ave an enquiry about obtaining additional rights to this publication, please contact the address below or member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEC TS 60479-1

Edition 4.1 2016-07

CONSOLIDATED VERSION



BASIC SAFETY PUBLICATION

Effects of current on human beings and livestock – Part 1: General aspects

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 13.200; 29.020 ISBN 978-2-8322-0000-0

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of

This is a preview. Click here to purchase the full publication.







Edition 4.1 2016-07

REDLINE VERSION



BASIC SAFETY PUBLICATION

Effects of current on human beings and livestock – Part 1: General aspects



CONTENTS

IN٦	rod	UCTION	l	9		
1	Scope					
2	Norn	Normative references				
3	Terms and definitions					
	3.1	Genera	al definitions	12		
	3.2	Effects	of sinusoidal alternating current in the range 15 Hz to 100 Hz	13		
	3.3	Effects	of direct current	13		
4	Electrical impedance of the human body					
	4.1	Internal impedance of the human body ($Z_{f i}$)				
	4.2	Impeda	ance of the skin $(Z_{\mathbb{S}})$	14		
	4.3		mpedance of the human body (Z_{T})			
	4.4		s affecting initial resistance of the human body (R_0)			
	4.5	Values	of the total impedance of the human body (Z_{T})	15		
		4.5.1	Sinusoidal alternating current 50/60 Hz for large surface areas of contact	15		
		4.5.2	Sinusoidal alternating current 50/60 Hz for medium and small surface areas of contact	18		
		4.5.3	Sinusoidal alternating current with frequencies up to 20 kHz	21		
		4.5.4	Direct current	22		
	4.6	Value	of the initial resistance of the human body $(R_{f 0})$	23		
5	Effects of sinusoidal alternating current in the range of 15 Hz to-100 150 Hz					
	5.1	Thresh	old of perception	23		
	5.2	Thresh	old of reaction	23		
	5.3	Immob	ilization	23		
	5.4	Thresh	old of let-go	23		
	5.5		old of ventricular fibrillation			
	5.6		effects related to electric shocks			
	5.7		s of current on the skin			
	5.8		ption of time/current zones (see Figure 20)			
	5.9		ation of heart-current factor (F)			
6	Effects of direct current					
	6.1		old of perception and threshold of reaction			
	6.2		old of immobilization and threshold of let-go			
	6.3		old of ventricular fibrillation			
	6.4		effects of current			
	6.5		ption of time/current zones (see Figure 22)			
	6.6		factor			
Δ	6.7		of anodic versus cathodic d.c. currents			
				50		
hui	man b	èings ar	tive) Measurements of the total body impedances Z_{T} made on living and on corpses and the statistical analysis of the results			
An	nex B	(normat	tive) Influence of frequency on the total body impedance (Z_{T})	54		
An	nex C	(normat	tive) Total body resistance (R_T) for direct current	55		
An	nex D	(informa	ative) Examples of calculations of Z_{T}	56		

Annex E (informative) Theories of ventricular fibrillation	60
Annex F (informative) Quantities ULV and LLV	61
Annex G (informative) Circuit simulation methods in electric shock evaluation	62
Figure 1 – Impedances of the human body	28
Figure 2 – Internal partial impedances $Z_{\sf ip}$ of the human body	29
Figure 3 – Simplified schematic diagram for the internal impedances of the human body	30
Figure 4 – Total body impedances Z_{T} (50 %) for a current path hand to hand, for large surface areas of contact in dry, water-wet and saltwater-wet conditions for a percentile rank of 50 % of the population for touch voltages U_{T} = 25 V to 700 V, a.c. 50/60 Hz	31
Figure 5 – Dependence of the total impedance Z_{T} of one living person on the surface area of contact in dry condition and at touch voltage (50 Hz)	32
Figure 6 – Dependence of the total body impedance Z_{T} on the touch voltage U_{T} for a current path from the tips of the right to the left forefinger compared with large surface areas of contact from the right to the left hand in dry conditions measured on one living person, touch voltage range U_{T} = 25 V to 200 V, a.c. 50 Hz, duration of current flow max. 25 ms.	33
Figure 7 – Dependence of the total body impedance Z_{T} for the 50 th percentile rank of a population of living human beings for large, medium and small surface areas of	
contact (order of magnitude 10 000 mm ² , 1 000 mm ² and 100 mm ² respectively) in dry conditions at touch voltages U_T = 25 V to 200 V a.c. 50/60 Hz	34
Figure 8 – Dependence of the total body impedance $Z_{\rm T}$ for the 50 th percentile rank of a population of living human beings for large, medium and small surface areas of contact (order of magnitude 10 000 mm ² 1 000 mm ² and 100 mm ² respectively) in water-wet conditions at touch voltages $U_{\rm T}$ = 25 V to 200 V, a.c. 50/60 Hz	35
Figure 9 – Dependence of the total body impedance $Z_{\rm T}$ for the 50 th percentile rank of a population of living human beings for large, medium and small surface areas of contact (order of magnitude 10 000 mm ² , 1 000 mm ² and 100 mm ² respectively) in saltwater-wet conditions at touch voltages $U_{\rm T}$ = 25 V to 200 V, a.c. 50/60 Hz	36
Figure 10 – Values for the total body impedance Z_{T} measured on 10 living human beings with a current path hand to hand and large surface areas of contact in dry conditions at a touch voltage of 10 V and frequencies from 25 Hz to 20 kHz	37
Figure 11 – Values for the total body impedance Z_{T} measured on one living human being with a current path hand to hand and large surface areas of contact in dry conditions at a touch voltage of 25 V and frequencies from 25 Hz to 2 kHz	37
Figure 12 – Frequency dependence of the total body impedance Z_{T} of a population for a percentile rank of 50 % for touch voltages from 10 V to 1 000 V and a frequency range from 50 Hz to- $\frac{2}{2}$ 150 kHz for a current path hand to hand or hand to foot, large surface areas of contact in dry conditions	38
Figure 13 – Statistical value of total body impedances Z_{T} and body resistances R_{T} for a percentile rank of 50 % of a population of living human beings for the current path hand to hand, large surface areas of contact, dry conditions, for touch voltages up to 700 V, for a.c. 50/60 Hz and d.c.	39
Figure 14 – Dependence of the alteration of human skin condition on current density $i_{\rm T}$ and duration of current flow (for detailed description of zones, see 5.7)	40
Figure 15 – Electrodes used for the measurement of the dependence of the impedance of the human body Z_{T} on the surface area of contact	41
Figure 16 – Oscillograms of touch voltages U_{T} and touch currents I_{T} for a.c., current path hand to hand, large surface areas of contact in dry conditions taken from measurements	42
Figure 17 – Occurrence of the vulnerable period of ventricles during the cardiac cycle	

Figure 18 – Triggering of ventricular fibrillation in the vulnerable period – Effects on electro-cardiogram (ECG) and blood pressure	43
Figure 19 – Fibrillation data for dogs, pigs and sheep from experiments and for persons calculated from statistics of electrical accidents with transversal direction of current flow hand to hand and touch voltages $U_{\rm T}$ = 220 V and 380 V a.c. with body impedances $Z_{\rm T}$ (5 %)	44
Figure 20 – Conventional time/current zones of effects of a.c. currents (15 Hz to 100 Hz) on persons for a current path corresponding to left hand to feet (for explanation see Table 11)	45
Figure 21 – Oscillogram of touch voltages U_T and touch current I_T for d.c., current path hand to hand, large surface areas of contact in dry conditions	45
Figure 22 – Conventional time/current zones of effects of d.c. currents on persons for a longitudinal upward current path (for explanation see Table 13)	46
Figure 23 – Let-go currents for 60 Hz sinusoidal current	46
Figure 24 – Effects of anodic versus cathodic d.c. currents	47
Figure 25 – Pulsed d.c. stimulation of single heart cells	
Figure G.1 – Electric shock in electrical model by Hart [33] including startle reaction effect	
Bibliography	65
Table 1 – Total body impedances Z_T for a current path hand to hand a.c. 50/60 Hz, for large surface areas of contact in dry conditions	16
Table 2 – Total body impedances Z_T for a current path hand to hand a.c. 50/60 Hz, for large surface areas of contact in water-wet conditions	17
Table 3 – Total body impedances Z_{T} for a current path hand to hand a.c. 50/60 Hz, for large surface areas of contact in saltwater-wet conditions	18
Table 4 –Total body impedances Z_T for a current path hand to hand for medium surface areas of contact in dry conditions at touch voltages U_T = 25 V to 200 V a.c. 50/60 Hz (values rounded to 25 Ω)	19
Table 5 – Total body impedances Z_T for a current path hand to hand for medium surface areas of contact in water-wet conditions at touch voltages U_T = 25 V to 200 V a.c. 50/60 Hz (values rounded to 25 Ω)	20
Table 6 – Total body impedances $Z_{\rm T}$ for a current path hand to hand for medium surface areas of contact in saltwater-wet conditions at touch voltages $U_{\rm T}$ = 25 V to 200 V a.c. 50/60 Hz (values rounded to 5 Ω)	
Table 7 – Total body impedances Z_{T} for a current path hand to hand for small surface areas of contact in dry conditions at touch voltages U_{T} = 25 V to 200 V a.c. 50/60 Hz (values rounded to 25 Ω)	
Table 8 – Total body impedances Z_T for a current path hand to hand for small surface areas of contact in water-wet conditions at touch voltages U_T = 25 V to 200 V a.c. 50/60 Hz (values rounded to 25 Ω)	
Table 9 – Total body impedances Z_T for a current path hand to hand for small surface areas of contact in saltwater-wet conditions at touch voltages U_T = 25 V to 200 V a.c. 50/60 Hz (values rounded to 5 Ω)	
Table 10 – Total body resistances R_{T} for a current path hand to hand, d.c., for large surface areas of contact in dry conditions	
Table 11 – Time/current zones for a.c. 15 Hz to 100 Hz for hand to feet pathway – Summary of zones of Figure 20	
Table 12 – Heart-current factor <i>F</i> for different current paths	26
Table 13 – Time/current zones for d.c. for hand to feet pathway – Summary of zones of	20

Table G.1 – Body impedance examples (uncompensated)......63

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EFFECTS OF CURRENT ON HUMAN BEINGS AND LIVESTOCK –

Part 1: General aspects

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC TS 60479-1 bears the edition number 4.1. It consists of the fourth edition (2005-07) [documents 64/1427/DTS and 64/1463/RVC] and its amendment 1 (2016-07) [documents 64/2095/DTS and 64/2113/RVC]. The technical content is identical to the base edition and its amendment.

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.