

Translated and Published by Japanese Standards Association

## JIS T 8161-2:2020

## (JSAA/JSA)

Acoustics — Hearing protectors — Part 2: Estimation of effective A-weighted sound pressure levels when hearing protectors are worn

ICS 13.340.20 Reference number : JIS T 8161-2 : 2020 (E)

This is a preview. Click here to purchase the full publication.

Date of Establishment: 2020-04-25 Date of Public Notice in Official Gazette: 2020-04-27 Investigated by: Japanese Industrial Standards Committee Standards Board for ISO area

Technical Committee on Safety

JIS T 8161-2: 2020, First English edition published in 2021-06

Translated and published by: Japanese Standards Association Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

> In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2021

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

ΗN

This is a preview. Click here to purchase the full publication.

## Contents

## Page

Introduction		
1	Scope2	
2	Normative references ······3	
3	Terms and definitions	
4	Measurement of the sound attenuation of hearing protectors $\cdots \cdots \cdots 4$	
5	Calculation of the assumed protection value, $APV_{fx}$ , of a hearing protector for a selected protection performance $\cdots 4$	
6	Octave-band method ······5	
7 7.1 7.2 7.3	HML method 6   General 6   Calculation of H, M and L values 6   Application of HML method for estimation of the effective A-weighted sound pressure level 8	
8 8.1 8.2 8.3	SNR method 9   General 9   Calculation of SNR values 9   Application of SNR method for estimation of the effective A-weighted 9   sound pressure level 9	
Annex	A (informative)	Example of the calculation of the assumed protection values, $APV_{fx}$ ······11
Annex	x B (informative)	Example of the calculation of $L'_{p,Ax}$ according to the octave-band method $\cdots 12$
Annex	c C (informative)	Calculation of <i>H</i> , <i>M</i> and <i>L</i> values for a particular hearing protector
Annex	x D (informative)	Example of the calculation and use of <i>SNR</i> values16
Annex	x E (informative)	Uncertainty of attenuation values and ratings18
Bibliography		
Annex	x JA (informative)	Comparison table between JIS and corresponding International Standard20