



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS B 9715 : 2006

(ISO 13855 : 2002)

(JMF)

**Safety of machinery—Positioning of
protective equipment with respect
to the approach speeds of parts of
the human body**

ICS 13.110

Reference number : JIS B 9715 : 2006 (E)

B 9715 : 2006 (ISO 13855 : 2002)

Date of Establishment: 2006-11-25

Date of Public Notice in Official Gazette: 2006-11-27

Investigated by: Japanese Industrial Standards Committee

Standards Board

Technical Committee on Industrial Machinery

JIS B 9715:2006, First English edition published in 2007-11

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

AT

This is a preview. [Click here to purchase the full publication.](#)

Contents

	Page
Introduction	1
1 Scope	2
2 Normative references	2
3 Terms and definitions	3
4 Methodology	4
5 General formula for the calculation of minimum distances	7
6 Calculation of minimum distances for electro-sensitive protective equipment employing active opto-electronic protective devices	7
6.1 Direction of approach normal to the detection zone	8
6.2 Direction of approach parallel to the detection zone	11
6.3 Direction of approach angled to the detection zone	12
6.4 Dual position equipment	14
7 Method of calculating the minimum distances for ground level trip devices	15
7.1 General method	15
7.2 Floor mounting	15
7.3 Step mounting	16
8 Two-hand control devices	16
Annex A (informative) Worked examples	17
Annex B (informative) Walking speeds and stride lengths	20