

# NFPA® 22

## Standard for Water Tanks for Private Fire Protection

### 2023 Edition



NFPA, 1 Batterymarch Park, Quincy, MA 02169-7471  
An International Codes and Standards Organization

[This is a preview. Click here to purchase the full publication.](#)



## IMPORTANT NOTICES AND DISCLAIMERS CONCERNING NFPA® STANDARDS

NFPA® codes, standards, recommended practices, and guides (“NFPA Standards”), of which the document contained herein is one, are developed through a consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on fire and other safety issues. While the NFPA administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in NFPA Standards.

The NFPA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on NFPA Standards. The NFPA also makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

In issuing and making NFPA Standards available, the NFPA is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the NFPA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The NFPA has no power, nor does it undertake, to police or enforce compliance with the contents of NFPA Standards. Nor does the NFPA list, certify, test, or inspect products, designs, or installations for compliance with this document. Any certification or other statement of compliance with the requirements of this document shall not be attributable to the NFPA and is solely the responsibility of the certifier or maker of the statement.

### REVISION SYMBOLS IDENTIFYING CHANGES FROM THE PREVIOUS EDITION

Text revisions are shaded. A **Δ** before a section number indicates that words within that section were deleted and a **Δ** to the left of a table or figure number indicates a revision to an existing table or figure. When a chapter was heavily revised, the entire chapter is marked throughout with the **Δ** symbol. Where one or more sections were deleted, a • is placed between the remaining sections. Chapters, annexes, sections, figures, and tables that are new are indicated with an **N**.

Note that these indicators are a guide. Rearrangement of sections may not be captured in the markup, but users can view complete revision details in the First and Second Draft Reports located in the archived revision information section of each code at [www.nfpa.org/docinfo](http://www.nfpa.org/docinfo). Any subsequent changes from the NFPA Technical Meeting, Tentative Interim Amendments, and Errata are also located there.

### REMINDER: UPDATING OF NFPA STANDARDS

Users of NFPA codes, standards, recommended practices, and guides (“NFPA Standards”) should be aware that these documents may be superseded at any time by the issuance of a new edition, may be amended with the issuance of Tentative Interim Amendments (TIAs), or be corrected by Errata. It is intended that through regular revisions and amendments, participants in the NFPA standards development process consider the then-current and available information on incidents, materials, technologies, innovations, and methods as these develop over time and that NFPA Standards reflect this consideration. Therefore, any previous edition of this document no longer represents the current NFPA Standard on the subject matter addressed. NFPA encourages the use of the most current edition of any NFPA Standard [as it may be amended by TIA(s) or Errata] to take advantage of current experience and understanding. An official NFPA Standard at any point in time consists of the current edition of the document, including any issued TIAs and Errata then in effect.

To determine whether an NFPA Standard has been amended through the issuance of TIAs or corrected by Errata, visit the “Codes & Standards” section at [www.nfpa.org](http://www.nfpa.org).



## **ADDITIONAL IMPORTANT NOTICES AND DISCLAIMERS CONCERNING NFPA® STANDARDS**

### **Updating of NFPA Standards**

Users of NFPA codes, standards, recommended practices, and guides (“NFPA Standards”) should be aware that these documents may be superseded at any time by the issuance of a new edition, may be amended with the issuance of Tentative Interim Amendments (TIAs), or be corrected by Errata. It is intended that through regular revisions and amendments, participants in the NFPA standards development process consider the then-current and available information on incidents, materials, technologies, innovations, and methods as these develop over time and that NFPA Standards reflect this consideration. Therefore, any previous edition of this document no longer represents the current NFPA Standard on the subject matter addressed. NFPA encourages the use of the most current edition of any NFPA Standard [as it may be amended by TIA(s) or Errata] to take advantage of current experience and understanding. An official NFPA Standard at any point in time consists of the current edition of the document, including any issued TIAs and Errata then in effect.

To determine whether an NFPA Standard has been amended through the issuance of TIAs or corrected by Errata, visit the “Codes & Standards” section at [www.nfpa.org](http://www.nfpa.org).

### **Interpretations of NFPA Standards**

A statement, written or oral, that is not processed in accordance with Section 6 of the Regulations Governing the Development of NFPA Standards shall not be considered the official position of NFPA or any of its Committees and shall not be considered to be, nor be relied upon as, a Formal Interpretation.

### **Patents**

The NFPA does not take any position with respect to the validity of any patent rights referenced in, related to, or asserted in connection with an NFPA Standard. The users of NFPA Standards bear the sole responsibility for determining the validity of any such patent rights, as well as the risk of infringement of such rights, and the NFPA disclaims liability for the infringement of any patent resulting from the use of or reliance on NFPA Standards.

NFPA adheres to the policy of the American National Standards Institute (ANSI) regarding the inclusion of patents in American National Standards (“the ANSI Patent Policy”), and hereby gives the following notice pursuant to that policy:

NOTICE: The user’s attention is called to the possibility that compliance with an NFPA Standard may require use of an invention covered by patent rights. NFPA takes no position as to the validity of any such patent rights or as to whether such patent rights constitute or include essential patent claims under the ANSI Patent Policy. If, in connection with the ANSI Patent Policy, a patent holder has filed a statement of willingness to grant licenses under these rights on reasonable and nondiscriminatory terms and conditions to applicants desiring to obtain such a license, copies of such filed statements can be obtained, on request, from NFPA. For further information, contact the NFPA at the address listed below.

### **Law and Regulations**

Users of NFPA Standards should consult applicable federal, state, and local laws and regulations. NFPA does not, by the publication of its codes, standards, recommended practices, and guides, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

### **Copyrights**

NFPA Standards are copyrighted. They are made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of safe practices and methods. By making these documents available for use and adoption by public authorities and private users, the NFPA does not waive any rights in copyright to these documents.

Use of NFPA Standards for regulatory purposes should be accomplished through adoption by reference. The term “adoption by reference” means the citing of title, edition, and publishing information only. Any deletions, additions, and changes desired by the adopting authority should be noted separately in the adopting instrument. In order to assist NFPA in following the uses made of its documents, adopting authorities are requested to notify the NFPA (Attention: Secretary, Standards Council) in writing of such use. For technical assistance and questions concerning adoption of NFPA Standards, contact NFPA at the address below.

### **For Further Information**

All questions or other communications relating to NFPA Standards and all requests for information on NFPA procedures governing its codes and standards development process, including information on the procedures for requesting Formal Interpretations, for proposing Tentative Interim Amendments, and for proposing revisions to NFPA standards during regular revision cycles, should be sent to NFPA headquarters, addressed to the attention of the Secretary, Standards Council, NFPA, 1 Batterymarch Park, P.O. Box 9101, Quincy, MA 02269-9101; email: [stds\\_admin@nfpa.org](mailto:stds_admin@nfpa.org).

For more information about NFPA, visit the NFPA website at [www.nfpa.org](http://www.nfpa.org). All NFPA codes and standards can be viewed at no cost at [www.nfpa.org/docinfo](http://www.nfpa.org/docinfo).



Copyright © 2022 National Fire Protection Association®. All Rights Reserved.

## NFPA® 22

### Standard for

## Water Tanks for Private Fire Protection

### 2023 Edition

This edition of NFPA 22, *Standard for Water Tanks for Private Fire Protection*, was prepared by the Technical Committee on Water Tanks. It was issued by the Standards Council on April 14, 2022, with an effective date of May 4, 2022, and supersedes all previous editions.

This edition of NFPA 22 was approved as an American National Standard on May 4, 2022.

### Origin and Development of NFPA 22

In 1909, the NFPA Committee on Gravity Tanks developed the *Standard on Gravity Tanks*. Amendments were considered in 1912 and 1913, and the standard was adopted in 1914. Revised or amended editions were adopted in 1915, 1917, 1918, 1919, 1922, 1926, 1928, 1930, 1931, 1933, 1936, 1941, 1949, and 1950.

The name of the committee was changed to the Committee on Water Tanks, and its recommendations resulted in changes adopted in 1957, 1958, 1962, 1965, 1967, 1970, 1971, 1974, 1976, 1978, 1981, and 1987.

Tanks other than gravity tanks (which, at that time, included concrete reservoirs) and valve pits were first covered in 1913, pressure tanks (formerly covered by *Standards for Sprinkler Systems*) were covered in 1915, and tank heating was covered in 1922. The standard title has been periodically amended to reflect the expanded scope of the standard.

The 1993 edition provided new, environmentally friendly requirements for tank-coating systems. Two new chapters were included to cover the design and erection of bolted steel tanks and concrete tanks. Information on fiberglass tanks also was included. These changes, along with other editorial changes, reflected the current information for water storage tank design.

The 1996 edition of NFPA 22 consolidated tank care and maintenance information within a single chapter. Further revisions addressed the corrosion resistance of certain tank components, access into tanks, the monitoring of internal conditions, and the structural stresses to which tanks are subjected. The figures in Appendix B were revised to reflect current practices. Editorial changes were also made.

The 1998 edition further addressed environmental issues. All inspection, testing, and maintenance requirements were removed and added to the appropriate chapter of the 1998 edition of NFPA 25, *Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems*.

The 2003 edition was changed to conform to the *Manual of Style for NFPA Technical Committee Documents*, 2000 edition. Referenced publications were updated.

The 2008 edition recognized the use of fiberglass-reinforced plastic (FRP) tanks with a new Chapter 11. Acceptance test requirements were consolidated into a new Chapter 17, "Acceptance Test Requirements," to improve user-friendliness.

The 2013 edition added sizing requirements for break tanks in Chapter 4 and sizing procedures for pressure tanks in the Chapter 7 annex material. The term *suction tank* was defined, and the requirements for anti-vortex plates were revised. Table 5.4 was updated to align with current industry standards.

The 2018 edition substantially modified Chapters 5 and 6. In Chapter 5 all duplicate requirements to AWWA D100 have been removed and reference to AWWA D100 has been made; requirements specific to fire protection remain in Chapter 5. In Chapter 6 all duplicate requirements to AWWA D103 have been removed and reference to AWWA D103 made; requirements specific to fire protection remain in Chapter 6. Requirements for check valves in the discharge pipe



of a suction tank have been clarified in Chapter 14, and tank repair requirements have been modified requiring the impairment procedures of NFPA 25 to be followed. Chapter 16 has added new criteria for electric immersion heaters, and the lowest one-day mean temperature map has been removed in lieu of using calculations to determine tank heating needs.

The 2023 edition was revised to remove redundant sections to provide clarity. Sections related to external loads, such as wind, snow, and live load requirements, have been updated to recognize other standards, and to replace outdated design approaches. Tank sizing requirements have been updated to ensure that pump suction pressure is considered when designing water tanks. Water tank construction features have been updated in line with newly referenced standards, and other applicable standards have been recognized by the standard. Additional valve requirements have been incorporated to improve maintainability. Fill line and suction pipe separation distances have been provided to prevent cavitation in the fire pump. Editorial corrections, such as unit conversions, were made where applicable. References have been updated to the latest applicable codes and standards.



## Technical Committee on Water Tanks

**Douglas W. Fisher**, *Chair*  
Fisher Engineering, Inc., GA [SE]

**Kevin P. Bellew**, Sprinkler Fitters & Apprentices Local 696, NJ [L]  
Rep. United Assn. of Journeymen & Apprentices of the  
Plumbing & Pipe Fitting Industry  
**Stephan A. Billian**, Nuclear Service Organization (NEIL), DE [I]  
**Babanna Biradar**, Bechtel India Pvt Ltd, India [SE]  
**John D. Campbell**, Global Fire Protection Group, LLC, MO [SE]  
**Eugenio Castro**, Ingenieria Tecnotank Ltda, Chile [M]  
**Christopher Culp**, Henderson Engineers, Inc., KS [SE]  
**Alberto Cusimano**, Dupont International SA, Switzerland [U]  
**Joseph R. Fowler**, S.A. Comunale Company, Inc., OH [IM]  
**Robert M. Gagnon**, Gagnon Engineering, MD [SE]  
**Greg Garber**, Pittsburg Tank & Tower Group, VA [M]  
**Kevin Ryan Hall**, American Fire Sprinkler Association (AFSA), TX [IM]  
**Andrew M. Henning**, CAL FIRE, Office of the State Fire Marshal, CA [E]  
**Jack Hillman**, Hall-Woolford Tank Company, Inc., PA [M]  
**David Hochhauser**, Isseks Brothers Incorporated, NY [IM]

**Kevin J. Kelly**, Victaulic, PA [IM]  
Rep. National Fire Sprinkler Association  
**Roel Kai Langendoen**, Water Storage Tanks, Inc., TX [M]  
**Nicholas A. Legatos**, Preload LLC, NY [M]  
Rep. American Concrete Institute  
**Keith McGuire**, CST Storage, KS [M]  
**Bob D. Morgan**, Fort Worth Fire Department, TX [E]  
**Philip Myers**, PEMY Consulting LLC, CA [U]  
Rep. American Petroleum Institute  
**Leonard J. Ramo**, Telgian Corporation, GA [SE]  
**Robert N. Renkes**, Fiberglass Tank & Pipe Institute, OK [M]  
**Andrew Rosenwach**, Rosenwach Tank Company, LLC., NY [M]  
Rep. National Wood Tank Institute  
**Daniel Sanchez**, City of Los Angeles, CA [E]  
**Joseph Radford Sellers**, U.S. Department Of Energy, TN [U]  
**Mark A. Sornsin**, Summit Companies, ND [IM]  
**Gregory R. Stein**, Tank Industry Consultants, IN [SE]  
**Owen Stevens**, Fiber Tech Corporation, VA [M]

### Alternates

**Roland A. Asp**, National Fire Sprinkler Association, Inc., MD [IM]  
(Alt. to Kevin J. Kelly)  
**Andrew J. Brady**, Nuclear Service Organization (NEIL), DE [I]  
(Alt. to Stephan A. Billian)  
**Patrick Jon Brown**, Tank Industry Consultants, IN [SE]  
(Alt. to Gregory R. Stein)  
**Christine Fowler**, CAL FIRE, Office of the State Fire Marshal, CA [E]  
(Alt. to Andrew M. Henning)  
**Edward M. Hawthorne**, DFW Dynamics, TX [U]  
(Alt. to Philip Myers)

**Jeremy W. John**, Fisher Engineering, Inc., GA [SE]  
(Alt. to Douglas W. Fisher)  
**Gary Koenig**, Sprinkler Fitters Local Union 696, NJ [L]  
(Alt. to Kevin P. Bellew)  
**R. Greg Patrick**, Treasure Valley Fire Protection, Inc., ID [IM]  
(Alt. to Kevin Ryan Hall)  
**John J. Sweeney**, Smith Engineered Storage Products Company, IL [M]  
(Alt. to Keith McGuire)  
**Daniel S. Vandergriff**, Telgian Corporation, GA [SE]  
(Alt. to Leonard J. Ramo)

**Baran Ozden**, NFPA Staff Liaison

*This list represents the membership at the time the Committee was balloted on the final text of this edition. Since that time, changes in the membership may have occurred. A key to classifications is found at the back of the document.*

NOTE: Membership on a committee shall not in and of itself constitute an endorsement of the Association or any document developed by the committee on which the member serves.

**Committee Scope:** This Committee shall have primary responsibility for documents on the design, construction, installation, and maintenance of tanks and accessory equipment supplying water for fire extinguishment, including gravity and pressure tanks, towers and foundations, pipe connections and fittings, valve enclosures and frost protection, and tank heating equipment.



Contents			
<b>Chapter 1</b>	<b>Administration</b>		<b>22- 6</b>
1.1	Scope.		22- 6
1.2	Purpose.		22- 6
1.3	Retroactivity.		22- 6
1.4	Equivalency.		22- 6
1.5	Types of Tanks.		22- 6
1.6	Units.		22- 6
1.7	New Technology.		22- 7
<b>Chapter 2</b>	<b>Referenced Publications</b>		<b>22- 7</b>
2.1	General.		22- 7
2.2	NFPA Publications.		22- 7
2.3	Other Publications.		22- 7
2.4	References for Extracts in Mandatory Sections. (Reserved)		22- 8
<b>Chapter 3</b>	<b>Definitions</b>		<b>22- 8</b>
3.1	General.		22- 8
3.2	NFPA Official Definitions.		22- 8
3.3	General Definitions.		22- 9
<b>Chapter 4</b>	<b>General Information</b>		<b>22- 9</b>
4.1	Capacity and Elevation.		22- 9
4.2	Water Sources.		22- 9
4.3	Location of Tanks.		22- 9
4.4	Tank Materials.		22- 9
4.5	Workmanship.		22- 9
4.6	Plans.		22- 10
4.7	Tank Contractor Responsibility.		22- 10
4.8	Attachments to Tank Structures.		22- 10
4.9	Lightning Protection.		22- 10
4.10	Strength.		22- 10
4.11	National Standards.		22- 10
4.12	Loads.		22- 10
4.13	Welding.		22- 11
4.14	Roofs.		22- 11
4.15	Roof Vent.		22- 11
4.16	Test Reports.		22- 12
<b>Chapter 5</b>	<b>Welded-Carbon Steel and Composite Concrete and Carbon Steel Gravity Tanks and Suction Tanks</b>		<b>22- 12</b>
5.1	General.		22- 12
5.2	Materials.		22- 12
5.3	Preventing Ice Damage.		22- 12
5.4	Corrosion Protection for Bottom Plates on Soil or Concrete.		22- 12
5.5	Painting Inaccessible Areas.		22- 12
5.6	Painting and Corrosion Protection.		22- 12
5.7	Painting Application.		22- 12
5.8	Heavy Metals.		22- 12
<b>Chapter 6</b>	<b>Factory-Coated, Bolted Carbon Steel Tanks</b>		<b>22- 13</b>
6.1	General.		22- 13
6.2	Materials, Fabrication, and Installation.		22- 13
6.3	Corrosion Protection.		22- 13
6.4	Structural Shapes.		22- 13
<b>Chapter 7</b>	<b>Pressure Tanks</b>		<b>22- 13</b>
7.1	General.		22- 13
7.2	Pipe Connections and Fittings.		22- 14
<b>Chapter 8</b>	<b>Wood Gravity Tanks and Suction Tanks</b>		<b>22- 15</b>
8.1	General.		22- 15
8.2	Material.		22- 16
8.3	Unit Stresses.		22- 16
8.4	Details of Design.		22- 16
8.5	Workmanship.		22- 17
8.6	Accessories.		22- 18
<b>Chapter 9</b>	<b>Embankment-Supported Coated Fabric Suction Tanks</b>		<b>22- 20</b>
9.1	General.		22- 20
9.2	Standard Capacities.		22- 20
9.3	Materials.		22- 20
9.4	Embankment Preparation and Tank Installation Procedure.		22- 21
9.5	Tank Sump and Support for Bottom Fittings.		22- 21
9.6	Pipe Connections and Fittings.		22- 21
<b>Chapter 10</b>	<b>Concrete Gravity Tanks and Suction Tanks</b>		<b>22- 22</b>
10.1	General.		22- 22
10.2	Prestressed Tanks.		22- 22
10.3	Standard Capacities.		22- 22
10.4	Earthquake Load.		22- 22
10.5	Wall Treatments.		22- 22
<b>Chapter 11</b>	<b>Fiberglass-Reinforced Plastic Tanks</b>		<b>22- 22</b>
11.1	General.		22- 22
11.2	Application.		22- 22
11.3	Tank Specification.		22- 22
11.4	Monolithic Tanks.		22- 22
11.5	Protection of Buried Tanks.		22- 22
11.6	Protection of Aboveground Tanks.		22- 22
11.7	Tank Connections.		22- 23
<b>Chapter 12</b>	<b>Tank and Tower Foundations in the Ground</b>		<b>22- 23</b>
12.1	Concrete Specifications.		22- 23
12.2	Suction Tank Foundations.		22- 23
12.3	Foundation Piers for Elevated Tanks.		22- 23
12.4	Anchorage.		22- 23
12.5	Grouting.		22- 24
12.6	Soil-Bearing Pressures.		22- 24
<b>Chapter 13</b>	<b>Steel Tank Towers</b>		<b>22- 24</b>
13.1	General.		22- 24
13.2	Materials.		22- 24
13.3	Loads.		22- 25
13.4	Unit Stresses.		22- 25
13.5	Details of Design.		22- 27
13.6	Workmanship.		22- 30
13.7	Accessories.		22- 30
<b>Chapter 14</b>	<b>Pipe Connections and Fittings</b>		<b>22- 31</b>
14.1	General Information.		22- 31
14.2	Discharge Pipe.		22- 33
14.3	Expansion Joint.		22- 34
14.4	Filling.		22- 34
14.5	Break Tanks.		22- 35
14.6	Overflow.		22- 36
14.7	Clean-Out and Drain.		22- 36
14.8	Connections for Other Than Fire Protection.		22- 36
14.9	Sensors.		22- 37
<b>Chapter 15</b>	<b>Valve Enclosures and Frost Protection</b>		<b>22- 37</b>
15.1	Valve Pit or House and Heater House.		22- 37
15.2	Frostproof Casing.		22- 38
<b>Chapter 16</b>	<b>Tank Heating</b>		<b>22- 39</b>
16.1	General.		22- 39
16.2	Heating Requirements.		22- 42
16.3	Heating Systems.		22- 42
16.4	Tank Insulation.		22- 48

16.5	Heating for Embankment-Supported Coated Fabric Suction Tanks. ....	22– 48	17.10	Disposal of Test Water. ....	22– 50
			17.11	Anti-Vortex Plate Inspection. ....	22– 50
<b>Chapter 17</b>	<b>Acceptance Test Requirements</b> .....	22– 49	<b>Chapter 18</b>	<b>Inspection, Testing, and Maintenance of Water Tanks</b> .....	22– 50
17.1	Inspection of Completed Equipment. ....	22– 49	18.1	General. ....	22– 50
17.2	Testing. ....	22– 49	<b>Annex A</b>	<b>Explanatory Material</b> .....	22– 50
17.3	Welded Steel Tanks. ....	22– 49	<b>Annex B</b>	<b>Typical Installations</b> .....	22– 63
17.4	Bolted Steel Tanks. ....	22– 49	<b>Annex C</b>	<b>Informational References</b> .....	22– 82
17.5	Pressure Tanks. ....	22– 49	<b>Index</b>	.....	22– 83
17.6	Embankment-Supported Coated Fabric Tanks. ....	22– 49			
17.7	Concrete Tanks. ....	22– 49			
17.8	Wood Tanks. ....	22– 49			
17.9	Fiberglass-Reinforced Plastic Tanks — Hydrostatic Test. ....	22– 50			



NFPA 22

Standard for

Water Tanks for Private Fire Protection

2023 Edition

**IMPORTANT NOTE:** This NFPA document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notices and Disclaimers Concerning NFPA Standards.” They can also be viewed at [www.nfpa.org/disclaimers](http://www.nfpa.org/disclaimers) or obtained on request from NFPA.

**UPDATES, ALERTS, AND FUTURE EDITIONS:** New editions of NFPA codes, standards, recommended practices, and guides (i.e., NFPA Standards) are released on scheduled revision cycles. This edition may be superseded by a later one, or it may be amended outside of its scheduled revision cycle through the issuance of Tentative Interim Amendments (TIAs). An official NFPA Standard at any point in time consists of the current edition of the document, together with all TIAs and Errata in effect. To verify that this document is the current edition or to determine if it has been amended by TIAs or Errata, please consult the National Fire Codes® Subscription Service or the “List of NFPA Codes & Standards” at [www.nfpa.org/docinfo](http://www.nfpa.org/docinfo). In addition to TIAs and Errata, the document information pages also include the option to sign up for alerts for individual documents and to be involved in the development of the next edition.

**NOTICE:** An asterisk (\*) following the number or letter designating a paragraph indicates that explanatory material on the paragraph can be found in Annex A.

A reference in brackets [ ] following a section or paragraph indicates material that has been extracted from another NFPA document. Extracted text may be edited for consistency and style and may include the revision of internal paragraph references and other references as appropriate. Requests for interpretations or revisions of extracted text shall be sent to the technical committee responsible for the source document.

Information on referenced publications can be found in Chapter 2 and Annex C.

Chapter 1 Administration

**1.1 Scope.** This standard provides the minimum requirements for the design, construction, installation, and maintenance of tanks and accessory equipment that supply water for private fire protection, including the following:

- (1) Gravity tanks, suction tanks, pressure tanks, and embankment-supported coated fabric suction tanks
- (2) Towers
- (3) Foundations
- (4) Pipe connections and fittings
- (5) Valve enclosures
- (6) Tank filling
- (7) Protection against freezing

**1.2 Purpose.** The purpose of this standard is to provide a basis for the design, construction, operation, and maintenance of water tanks for private fire protection.

**1.3 Retroactivity.** The provisions of this standard reflect a consensus of what is necessary to provide an acceptable degree of protection from the hazards addressed in this standard at the time the standard was issued.

**1.3.1** Unless otherwise specified, the provisions of this standard shall not apply to facilities, equipment, structures, or installations that existed or were approved for construction or installation prior to the effective date of the standard. Where specified, the provisions of this standard shall be retroactive.

**1.3.2** In those cases where the authority having jurisdiction determines that the existing situation presents an unacceptable degree of risk, the authority having jurisdiction shall be permitted to apply retroactively any portions of this standard deemed appropriate.

**1.3.3** The retroactive requirements of this standard shall be permitted to be modified if their application clearly would be impractical in the judgment of the authority having jurisdiction, and only where it is clearly evident that a reasonable degree of safety is provided.

**1.4 Equivalency.** Nothing in this standard is intended to prevent the use of systems, methods, or devices of equivalent or superior quality, strength, fire resistance, effectiveness, durability, and safety over those prescribed by this standard.

**1.4.1** Technical documentation shall be submitted to the authority having jurisdiction to demonstrate equivalency.

**1.4.2** The system, method, or device shall be approved for the intended purpose by the authority having jurisdiction.

**1.5 Types of Tanks.** This standard addresses elevated tanks on towers or building structures, water storage tanks that are at grade or below grade, and pressure tanks.

**1.5.1 Bladder Tanks Not Within the Scope of NFPA 22.** The following types of bladder tanks shall not be required to meet NFPA 22:

- (1) Listed bladder tanks used as surge suppressors on the discharge side of fire pumps installed in accordance with NFPA 20
- (2) Listed bladder tanks used as expansion tanks for anti-freeze sprinkler systems installed in accordance with NFPA 13
- (3) Bladder tanks used as foam concentrate tanks installed in accordance with NFPA 11

**1.5.2 Bladder Tanks Within the Scope of NFPA 22.** Bladder tanks shall be permitted to be a part of the water supply for a fire protection system when they meet the requirements for pressure tanks of this standard.

1.6 Units.

**1.6.1** Metric units of measurement in this standard are in accordance with the modernized metric system known as the International System of Units (SI). The bar unit, which is outside of but recognized by SI, is commonly used in international fire protection. Metric units and their conversion factors are shown in Table 1.6.1.

Table 1.6.1 Metric Unit Conversion Factors

Name of Unit	Unit Symbol	Conversion Factor
bar	bar	1 psi = 0.0689 bar
bar	bar	1 bar = 10 <sup>5</sup> Pa

Note: For additional conversions and information, see IEEE/ASTM SI 10.