# NFPA® SOLUTION SOLUTION

Code for Safety to Life from Fire on Merchant Vessels

2018



# IMPORTANT NOTICES AND DISCLAIMERS CONCERNING NFPA® STANDARDS

# NOTICE AND DISCLAIMER OF LIABILITY CONCERNING THE USE OF NFPA STANDARDS

NFPA® codes, standards, recommended practices, and guides ("NFPA Standards"), of which the document contained herein is one, are developed through a consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on fire and other safety issues. While the NFPA administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in NFPA Standards.

The NFPA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on NFPA Standards. The NFPA also makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

In issuing and making NFPA Standards available, the NFPA is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the NFPA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The NFPA has no power, nor does it undertake, to police or enforce compliance with the contents of NFPA Standards. Nor does the NFPA list, certify, test, or inspect products, designs, or installations for compliance with this document. Any certification or other statement of compliance with the requirements of this document shall not be attributable to the NFPA and is solely the responsibility of the certifier or maker of the statement.

# REVISION SYMBOLS IDENTIFYING CHANGES FROM THE PREVIOUS EDITION

Text revisions are shaded. A  $\triangle$  before a section number indicates that words within that section were deleted and a  $\triangle$  to the left of a table or figure number indicates a revision to an existing table or figure. When a chapter was heavily revised, the entire chapter is marked throughout with the  $\triangle$  symbol. Where one or more sections were deleted, a  $\bullet$  is placed between the remaining sections. Chapters, annexes, sections, figures, and tables that are new are indicated with an N.

Note that these indicators are a guide. Rearrangement of sections may not be captured in the markup, but users can view complete revision details in the First and Second Draft Reports located in the archived revision information section of each code at www.nfpa.org/docinfo. Any subsequent changes from the NFPA Technical Meeting, Tentative Interim Amendments, and Errata are also located there.

# REMINDER: UPDATING OF NFPA STANDARDS

Users of NFPA codes, standards, recommended practices, and guides ("NFPA Standards") should be aware that NFPA Standards may be amended from time to time through the issuance of a Tentative Interim Amendment (TIA) or corrected by Errata. An official NFPA Standard at any point in time consists of the current edition of the document together with any TIAs and Errata then in effect.

To determine whether an NFPA Standard has been amended through the issuance of Tentative Interim Amendments or corrected by Errata, go to www.nfpa.org/docinfo to choose from the list of NFPA Standards or use the search feature to select the NFPA Standard number (e.g., NFPA 13). The document information page provides up-to-date document-specific information as well as postings of all existing TIAs and Errata. It also includes the option to register for an "Alert" feature to receive an automatic email notification when new updates and other information are posted regarding the document.

ISBN: 978-145591691-7 (Print) ISBN: 978-145591692-4 (PDF)

ISBN: 978-145591762-

This is a preview. Click here to purchase the full publication.

# IMPORTANT NOTICES AND DISCLAIMERS CONCERNING NFPA® STANDARDS

## ADDITIONAL NOTICES AND DISCLAIMERS

# **Updating of NFPA Standards**

Users of NFPA codes, standards, recommended practices, and guides ("NFPA Standards") should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of Tentative Interim Amendments or corrected by Errata. An official NFPA Standard at any point in time consists of the current edition of the document together with any Tentative Interim Amendments and any Errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of Tentative Interim Amendments or corrected through the issuance of Errata, consult appropriate NFPA publications such as the National Fire Codes® Subscription Service, visit the NFPA website at www.nfpa.org, or contact the NFPA at the address listed below

# Interpretations of NFPA Standards

A statement, written or oral, that is not processed in accordance with Section 6 of the Regulations Governing the Development of NFPA Standards shall not be considered the official position of NFPA or any of its Committees and shall not be considered to be, nor be relied upon as, a Formal Interpretation.

## **Patents**

The NFPA does not take any position with respect to the validity of any patent rights referenced in, related to, or asserted in connection with an NFPA Standard. The users of NFPA Standards bear the sole responsibility for determining the validity of any such patent rights, as well as the risk of infringement of such rights, and the NFPA disclaims liability for the infringement of any patent resulting from the use of or reliance on NFPA Standards.

NFPA adheres to the policy of the American National Standards Institute (ANSI) regarding the inclusion of patents in American National Standards ("the ANSI Patent Policy"), and hereby gives the following notice pursuant to that policy:

NOTICE: The user's attention is called to the possibility that compliance with an NFPA Standard may require use of an invention covered by patent rights. NFPA takes no position as to the validity of any such patent rights or as to whether such patent rights constitute or include essential patent claims under the ANSI Patent Policy. If, in connection with the ANSI Patent Policy, a patent holder has filed a statement of willingness to grant licenses under these rights on reasonable and nondiscriminatory terms and conditions to applicants desiring to obtain such a license, copies of such filed statements can be obtained, on request, from NFPA. For further information, contact the NFPA at the address listed below.

# Law and Regulations

Users of NFPA Standards should consult applicable federal, state, and local laws and regulations. NFPA does not, by the publication of its codes, standards, recommended practices, and guides, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

# **Copyrights**

NFPA Standards are copyrighted. They are made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of safe practices and methods. By making these documents available for use and adoption by public authorities and private users, the NFPA does not waive any rights in copyright to these documents.

Use of NFPA Standards for regulatory purposes should be accomplished through adoption by reference. The term "adoption by reference" means the citing of title, edition, and publishing information only. Any deletions, additions, and changes desired by the adopting authority should be noted separately in the adopting instrument. In order to assist NFPA in following the uses made of its documents, adopting authorities are requested to notify the NFPA (Attention: Secretary, Standards Council) in writing of such use. For technical assistance and questions concerning adoption of NFPA Standards, contact NFPA at the address below.

## For Further Information

All questions or other communications relating to NFPA Standards and all requests for information on NFPA procedures governing its codes and standards development process, including information on the procedures for requesting Formal Interpretations, for proposing Tentative Interim Amendments, and for proposing revisions to NFPA standards during regular revision cycles, should be sent to NFPA headquarters, addressed to the attention of the Secretary, Standards Council, NFPA, 1 Batterymarch Park, P.O. Box 9101, Quincy, MA 02269-9101; email: stds\_admin@nfpa.org.

For more information about NFPA, visit the NFPA website at www.nfpa.org. All NFPA codes and standards can be viewed at no cost at www.nfpa.org/docinfo.

Copyright © 2017 National Fire Protection Association®. All Rights Reserved.

#### NFPA® 301

#### Code for

# Safety to Life from Fire on Merchant Vessels

#### 2018 Edition

This edition of NFPA 301, *Code for Safety to Life from Fire on Merchant Vessels*, was prepared by the Technical Committee on Merchant Vessels. It was issued by the Standards Council on August 1, 2017, with an effective date of August 21, 2017, and supersedes all previous editions.

This edition of NFPA 301 was approved as an American National Standard on August 21, 2017.

#### Origin and Development of NFPA 301

In 1993, the Coast Guard approached the NFPA Standards Council with a request to form a new committee that would develop a consensus standard on fire protection of merchant vessels, similar in format to the *Life Safety Code*. The basis for this request was a Coast Guard initiative known as Maritime Regulatory Reform. One aspect of maritime regulatory reform involves greater use of industry standards in lieu of detailed design requirements contained in the Code of Federal Regulations.

The initial approach advocated by the Coast Guard was to develop a standard that was applicable to passenger vessels only and to add requirements for different vessel types in future editions. However, the committee agreed that it would not take much more effort to draft a standard that was applicable to passenger vessels, cargo vessels, and tank vessels. Towing vessels were added to this list in anticipation of a federal law mandating fire protection upgrades. Other vessel types might be added in future editions.

By shifting development and maintenance of regulations to standards-making organizations, the regulators (in this case, the Coast Guard) are assured of dynamic standards that are regularly updated. The marine industry benefits through increased input into the rules it would subsequently be required to follow. Similar efforts either have been completed or are in progress to add marine-specific criteria to existing fire protection system standards, such as automatic sprinklers, water mist extinguishing systems, foam, carbon dioxide, and clean agent alternatives to halons.

NFPA 301 provides minimum requirements for the design, operation, and maintenance of merchant vessels for safety to life from fire and similar emergencies. The document establishes occupancy classifications and then provides requirements for design and construction, access and egress, and fire protection. The document applies to passenger vessels, towing vessels, and cargo vessels.

The code underwent a complete revision in 2001 to implement *Manual of Style for NFPA Technical Committee Documents* changes, which reorganized the document and stressed the use of enforceable language. This revision incorporated changes to the testing requirements for interior finishes, deck coverings, mattresses and bedding, and electrical cable. The code expanded the vessels covered to include ocean-going towing vessels as part of the cargo vessel requirements. In the passenger vessel chapter, the code redefined the classification criteria for vessel categories. One outcome of this change was an attempt to modify the requirements for sprinkler protection on certain classes of passenger vessels so that the requirements more closely matched existing Coast Guard requirements, in order to encourage use of the code as an alternative to Coast Guard prescriptive regulations.

The code underwent another substantial change in the 2008 edition. A new chapter was added to allow vessel designers and other users to incorporate equivalencies and alternative design considerations in vessel construction that satisfy the fundamentals of fire prevention, fire protection, and means of egress. The chapter on towing vessels was completely revised to update requirements for all new-construction towing vessels regardless of length and horsepower, in accordance with current U.S. Coast Guard regulations and industry best practices.

During the revision cycle for the 2013 edition the committee recognized the code as an essential consensus standard on fire protection of merchant vessels per the U.S. Coast Guard's original request in 1993. The NFPA standards-making process and the code can address a new fire hazard or fire protection issue more urgently than can be done by the government's regulatory rulemaking process.

In the 2013 edition of the code, the Technical Committee on Merchant Vessels revised several definitions and updated the publications referenced within the document. The committee also changed the applicability requirements for automatic sprinkler systems and water mist systems to be limited to passenger vessels with overnight accommodations for more than 36 passengers (in addition to Group I and Group II passenger vessels). This change made mandatory automatic fire protection requirements for certain small passenger vessels equivalent to existing federal regulations.

In the 2018 edition of the code, the Technical Committee on Merchant Vessels has updated the references in Chapter 2 and Annex D. Chapter 3, Definitions, also has been reviewed by the committee and several changes have been incorporated. The term *fire endurance* has been removed from the code because it is an obsolete term that has been replaced throughout most of the NFPA system with *fire resistance*. Other revised definitions include: *furnishings*, *fire protection rating*, *fire resistance rating*, *and fire-rated glazing*.

The committee has revised the requirements for backup lighting to reduce the total blackout time in spaces aboard a vessel that do not normally have any natural lighting (e.g., portholes, windows, and so on) to reduce the risk of panic and injury to passengers and crew.

In addition, it has been determined that the signage used on doors, passageways, ladders, or stairways that are neither an exit nor a way of exit access needs to be approved by the authority having jurisdiction (AHJ).

The technical committee also incorporated by reference the requirements from NFPA 90A, *Standard for the Installation of Air-Conditioning and Ventilating Systems*, to specify that insulation and coverings for pipes and ducts installed in areas where there is the potential for hot temperatures need to be assessed to ensure they perform properly when exposed to high temperatures.

For fire test requirements for draperies or other vertically hung textiles, users of the code are now directed to NFPA 701, Standard Methods of Fire Tests for Flame Propagation of Textiles and Films, or Part 7 of the IMO Fire Test Procedures Code.

Finally, the 2018 edition now requires that portable fire extinguishers be classed in accordance with NFPA 10, Standard for Portable Fire Extinguishers, or follow the requirements for portable extinguishers in Title 46 of the Code of Federal Regulations.

# **Technical Committee on Merchant Vessels**

William D. Cummings, *Chair*Fire Risk Management, Inc., ME [SE]

Gerard G. Back, JENSEN HUGHES, MD [SE]

Rep. JENSEN HUGHES

Kerry M. Bell, UL LLC, IL [RT]

Rupert P. Chandler, U.S. Joiner LLC, VA [M]

Warren A. Chigoy, Jr., SOTEC, LA [M]

Rep. Fire Suppression Systems Association

Joseph A. Derie, SW Passage Marine Surveys, OR [I] Rep. National Association of Marine Surveyors, Inc.

Charles J. Dorchak, ABS Americas, TX [E]

Russell P. Fleming, Patterson, NY [M]

Rep. National Fire Sprinkler Association

Kelly Lee Glanding AMG Engineering Inc. TX [SE

Kelly Lee Glanding, AMG Engineering, Inc., TX [SE]

Thomas Guldner, Marine Firefighting Inc., FL [SE]

Marcelo M. Hirschler, GBH International, CA [SE]

Craig E. Hofmeister, The Fire Consultants, Inc., NC [SE]

Clay Kesinger, Seadrill Americas, TX [U]

Peter C. Lauridsen, Passenger Vessel Association, VA [U]

Patrick J. Maguire, Marsh Risk Consulting, CA [I]

**Joseph P. McElhinney, Jr.,** U.S. Department of Transportation, DC

James A. Neville, AIG Specialty/Global Marine, FL [I]

Daniel B. Sullivan, Kidde Fire Systems, MA [M]

Charles Taylor, U.S. Coast Guard, DC [E]

#### Alternates

Timothy W. Bowe, ABCO Peerless Sprinkler Company, NY [M]

(Alt. to Russell P. Fleming)

Michael C. Donovan, The Hiller Companies, AL [M]

(Alt. to Warren A. Chigoy, Jr.)

Timothy Earl, GBH International, MI [SE]

(Alt. to Marcelo M. Hirschler)

Lance D. Harry, Kidde Fire Systems, MA [M] (Alt. to Daniel B. Sullivan)

Rossen E. Marinov, UL LLC, IL [RT]

(Alt. to Kerry M. Bell)

David B. Satterfield, JENSEN HUGHES, MD [SE]

(Alt. to Gerard G. Back)

Lawrence Russell, NFPA Staff Liaison

This list represents the membership at the time the Committee was balloted on the final text of this edition. Since that time, changes in the membership may have occurred. A key to classifications is found at the back of the document.

NOTE: Membership on a committee shall not in and of itself constitute an endorsement of the Association or any document developed by the committee on which the member serves.

**Committee Scope:** This Committee shall have primary responsibility for documents on the protection of human life, property, and the marine environment from fires aboard merchant vessels.

# Contents

Chapter	1 Administration	<b>301–</b> 6	Chapter	9 Vessel Services and Fire Detection and
$1.\hat{1}$	Scope	<b>301–</b> 6	•	Protection Equipment
1.2	Purpose	<b>301–</b> 6	9.1	Fire Detection, Alarm, and Communications
1.3	Application.	<b>301–</b> 6		Systems.
1.4		<b>301</b> – 7	9.2	Fire Protection Systems and Equipment
1.5	Equivalency Concepts	301- 7 301- 7	9.3	Fire Fighter Protective Clothing, SCBA
			9.3	
1.6	Vessel Construction, Repair, and Alteration	301-7	0.4	Equipment, and Fire Control Plans
1.7	Maintenance.	301-7	9.4	Ventilation.
1.8	Enforcement.	<b>301</b> – 7	9.5	Elevators, Escalators, Dumbwaiters, and Other
Chapter	2 Referenced Publications	<b>301–</b> 7	9.6	Transfer Devices
2.1	General.	<b>301</b> – 7	5.0	•
2.2	NFPA Publications.	<b>301</b> – 7	0.7	Equipment.
2.3	Other Publications.	<b>301</b> – 8	9.7	Fixed Electric Heating Equipment for
2.4	References for Extracts in Mandatory Sections.	<b>301–</b> 8		Pipelines, Vessels, De-icing, and Snow Melting.
4.1	References for Extracts in Mandatory Sections.	301- 3	Chapter	10 Accommodation Spaces
Chapter	3 Definitions	<b>301–</b> 9	•	· · · · · · · · · · · · · · · · · · ·
3.1	General.	<b>301–</b> 9	10.1	General Requirements.
3.2	NFPA Official Definitions.	<b>301</b> – 9	10.2	Means of Egress Requirements.
			10.3	Protection
3.3	General Definitions.	<b>301</b> – 9	CI.	11 M P 1 H 14 C 101110
3.4	Space Definitions.	<b>301</b> – 11	Chapter	
3.5	Special Definitions for Terms Used in			Spaces
	Chapter 5	<b>301–</b> 12	11.1	General Requirements.
~		004	11.2	Means of Egress Requirements.
Chapter	<del>-</del>	<b>301</b> – 12	11.3	Protection.
4.1	Fundamentals.	<b>301–</b> 12	11.4	Vessel Services.
4.2	Fundamentals of Means of Egress	<b>301–</b> 12		
4.3	Fundamentals of Construction	<b>301–</b> 13	Chapter	12 Service Spaces
4.4	Fundamentals of Illumination.	<b>301–</b> 13	12.1	General Requirements.
4.5	Fundamentals of Alarms.	<b>301–</b> 13	12.2	Means of Egress Requirements
4.6	Life Safety Compliance Options	<b>301–</b> 13	12.3	Protection.
Chapter	5 Performance-Based Option	<b>301–</b> 13	Chapter	13 Electrical and Control Spaces
5.1	General Requirements.	<b>301–</b> 13	13.1	General Requirements.
5.2	Performance Criteria	<b>301–</b> 14	13.2	Means of Egress Requirements
5.3	Retained Prescriptive Requirements	<b>301–</b> 14	13.3	Protection.
5.4	Design Specifications and Other Conditions	<b>301</b> – 14		
5.5	Design Fire Scenarios.	<b>301–</b> 15	Chapter	14 Engineering and Machinery Spaces
5.6	Evaluation of Proposed Designs	<b>301</b> – 16	14.1	General Requirements.
5.7	Safety Factors.	<b>301–</b> 16	14.2	Means of Egress Requirements
5.8		<b>301</b> – 16	14.3	Protection.
5.6	Documentation Requirements	301-10	14.4	Vessel Services.
Chapter	6 Classification of Occupancy and Hazard		14.5	Compartmentation.
cp.cc.	of Contents	<b>301–</b> 16	14.6	Pressurized Oil Systems.
6.1			14.7	Ventilation Systems.
0.1	Classification of Occupancy.	<b>301–</b> 16		· · · · · · · · · · · · · · · · · · ·
Chapter	7 Means of Egress	<b>301–</b> 18	14.8	Hot Surfaces.
7.1	General.		14.9	Bilges.
		<b>301</b> – 18	14.10	Incinerator Spaces.
7.2	Means of Egress Components.	<b>301</b> – 19	14.11	Portable Extinguishers.
7.3	Capacity of Means of Egress.	<b>301</b> – 27		
7.4	Number of Separate Means of Egress	<b>301–</b> 27	Chapter	<b>0</b> 1
7.5	Arrangement of Means of Egress	<b>301–</b> 27	15.1	General Requirements.
7.6	Measurement of Travel Distance to Exits	<b>301–</b> 28	15.2	Means of Egress Requirements
7.7	Discharge from Exits.	<b>301–</b> 28	15.3	Protection.
7.8	Illumination of Means of Egress	<b>301–</b> 29	15.4	Special Provisions for High-Risk Fuels Storage
7.9	Emergency Lighting.	<b>301</b> – 29		1 0
7.10	Marking of Means of Egress.	<b>301–</b> 29	Chapter	16 Cargo Spaces and Fuel Tanks
			16.1	General Requirements.
7.11	Low-Location Lighting.	<b>301–</b> 30		Means of Egress Requirements.
Chapter	8 Features of Fire Protection	<b>301–</b> 31	16.3	Protection.
8.1	General.	<b>301</b> – 31	16.4	Refrigerated Cargo Holds.
			10.4	Refrigerated Cargo Holds
8.2	Construction and Compartmentation	<b>301</b> – 31	Chapter	17 Open Decks
8.3	Interior Finish.	<b>301</b> – 34		•
8.4	Furnishings.	<b>301–</b> 35		General Requirements.
8.5	Fire Safety Requirements of Electrical and		17.2	Means of Egress Requirements.
	Fiber Optic Wires and Cables	<b>301–</b> 36	17.3	Special Considerations for Open Decks
	=			Intended for Storage of Shin's Stores

CONTENTS 301-5

Chapter	18 Helicopter Decks	<b>301</b> – 52	20.11 O <sub>1</sub>	pen Decks	<b>301–</b> 56
18.1	General Requirements.	<b>301–</b> 52	20.12 H	elicopter Decks	<b>301–</b> 56
18.2	Means of Egress Requirements	<b>301–</b> 52	20.13 Ve	essel Services	<b>301–</b> 56
18.3	Protection.	<b>301–</b> 52	Chapter 21	Passenger Vessels	<b>301–</b> 57
Chapter	19 Towing Vessels	<b>301–</b> 52		eneral Requirements.	<b>301</b> – 57
19.1	General Requirements.	<b>301–</b> 52		eans of Egress.	<b>301</b> – 57
19.2	Means of Egress.	<b>301–</b> 52		otection	<b>301–</b> 59
19.3	Protection	<b>301–</b> 52		commodation Spaces	<b>301</b> – 60
19.4	Accommodation Spaces.	<b>301–</b> 52		edical, Health Care, and Child Care Spaces	<b>301</b> – 60
19.5	Medical, Health Care, and Child Care Spaces	<b>301–</b> 52		rvice Spaces.	<b>301</b> – 60
19.6	Service Spaces.	<b>301–</b> 52		ectrical and Control Spaces	<b>301</b> – 60
19.7	Electrical and Control Spaces	<b>301–</b> 53		ngineering and Machinery Spaces	<b>301</b> – 60
19.8	Engineering and Machinery Spaces	<b>301–</b> 53		orage Spaces	<b>301</b> – 60
19.9	Storage Spaces.	<b>301–</b> 53		argo Spaces and Fuel Tanks	<b>301</b> – 60
19.10	Fuel Tanks.	<b>301–</b> 53		pen Decks	<b>301</b> – 60
19.11	Open Decks.	<b>301–</b> 53		elicopter Decks	<b>301</b> – 60
19.12	Helicopter Decks	<b>301–</b> 53		essel Services	<b>301</b> – 60
	Vessel Services.	<b>301–</b> 53		roup V Passenger Vessels	<b>301</b> – 61
				roup IV Passenger Vessels	<b>301</b> – 61
Chapter	20 Cargo and Tank Vessels	<b>301–</b> 54		•	
20.1	General Requirements.	<b>301–</b> 54	Chapter 22	Reserved	<b>301–</b> 63
20.2	Means of Egress.	<b>301–</b> 54		T 1 . W. 11	901 00
20.3	Protection.	<b>301–</b> 55	Annex A	Explanatory Material	<b>301</b> – 63
20.4	Accommodation Spaces	<b>301–</b> 55	Annex B	Ventilation Guidelines	<b>301</b> – 82
20.5	Medical Spaces.	<b>301–</b> 55	minex b	ventuation outdenines	301-02
20.6	Service Spaces.	<b>301–</b> 55	Annex C	Sample Ordinance Adopting NFPA 301	<b>301–</b> 84
20.7	Electrical and Control Spaces	<b>301–</b> 55		1 0	
20.8	Engineering and Machinery Spaces	<b>301–</b> 55	Annex D	Informational References	<b>301–</b> 84
20.9	Storage Spaces.	<b>301–</b> 55			001 05
20.10	Cargo Spaces and Fuel Tanks	<b>301–</b> 56	Index		<b>301–</b> 87

## **NFPA 301**

#### Code for

# Safety to Life from Fire on Merchant Vessels

#### 2018 Edition

IMPORTANT NOTE: This NFPA document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading "Important Notices and Disclaimers Concerning NFPA Standards." They can also be viewed at www.nfpa.org/disclaimers or obtained on request from NFPA.

UPDATES, ALERTS, AND FUTURE EDITIONS: New editions of NFPA codes, standards, recommended practices, and guides (i.e., NFPA Standards) are released on scheduled revision cycles. This edition may be superseded by a later one, or it may be amended outside of its scheduled revision cycle through the issuance of Tentative Interim Amendments (TIAs). An official NFPA Standard at any point in time consists of the current edition of the document, together with all TIAs and Errata in effect. To verify that this document is the current edition or to determine if it has been amended by TIAs or Errata, please consult the National Fire Codes® Subscription Service or the "List of NFPA Codes & Standards" at www.nfpa.org/docinfo. In addition to TIAs and Errata, the document information pages also include the option to sign up for alerts for individual documents and to be involved in the development of the next edition.

NOTICE: An asterisk (\*) following the number or letter designating a paragraph indicates that explanatory material on the paragraph can be found in Annex A.

A reference in brackets [] following a section or paragraph indicates material that has been extracted from another NFPA document. As an aid to the user, the complete title and edition of the source documents for extracts in mandatory sections of the document are given in Chapter 2 and those for extracts in informational sections are given in Annex D. Extracted text may be edited for consistency and style and may include the revision of internal paragraph references and other references as appropriate. Requests for interpretations or revisions of extracted text shall be sent to the technical committee responsible for the source document.

Information on referenced publications can be found in Chapter 2 and Annex D.

# Chapter 1 Administration

## 1.1 Scope.

2018 Edition

- **\( \Delta 1.1.1 \) Title.** NFPA 301 shall be known as the *Merchant Vessel Code* and is referred to herein as "this code" or "the code."
  - 1.1.2 The code addresses construction, arrangement, protection, and space utilization factors that are necessary to minimize danger to life from fire, smoke, fumes, or panic. It also provides for reasonable protection against property damage and avoidance of environmental damage consistent with the normal operation of vessels. Fundamental requirements applicable to all vessels are found in Chapters 1 through 9. These fundamental requirements are modified in Chapters 10 through 18 as applicable for any type of space. The requirements in Chapters 1 through 18 are modified in Chapters 19 through 21 as applicable for any given vessel type. For example,

- a passenger vessel would follow the requirements of Chapters 1 through 18 and Chapter 21.
- **1.1.3** The code identifies the minimum criteria for the design of egress facilities so as to permit prompt escape of passengers and crew to safe areas aboard vessels and, where necessary, to survival craft embarkation stations.
- 1.1.4 The code recognizes that life safety is more than a matter of egress and, accordingly, deals with other considerations that are essential to life safety. It also recognizes the unique operating environment of merchant vessels and the relationships among life safety, property protection, and environmental protection and deals with these criteria accordingly.
- 1.1.5\* Where permanently moored and occupied as buildings, merchant vessels shall be permitted to be treated as buildings and shall be permitted to be subject to the provisions of appropriate building codes and standards as specified by the local authority having jurisdiction (AHJ).

# 1.2 Purpose.

- **1.2.1** The purpose of this code is to provide minimum requirements, with due regard to function, for the design, operation, and maintenance of merchant vessels for safety to life from fire and similar emergencies.
- **1.2.2** As related to fire safety, the objective of this code is to protect the passengers and crew from loss of life. It is also intended that the code will provide for minimum loss of property and minimum impact on the environment.
- 1.2.3\* The level of safety is achieved by the combination of design, prevention, protection, egress, and other features enumerated in the individual vessel occupancy classification with due regard to the capabilities and reliability of the features involved. Recognition is given to human factors and to the need for crew training and passenger instruction.
- **1.2.4** The code endeavors to avoid requirements that could involve unreasonable hardships or unnecessary inconvenience or interference with the normal use of a vessel, but it provides minimum requirements for fire safety consistent with the public interest.

# 1.3 Application.

- △ 1.3.1\* This code shall apply to new construction merchant vessels to the extent described in Chapters 19 through 21. This code does not apply to pleasure craft or commercial craft covered by NFPA 302 or to warships.
  - **1.3.2** Existing vessels undergoing major modification or conversion shall comply with all requirements of this code within the areas being modified and ancillary support systems.
  - **1.3.3** Any alteration or any installation of new equipment, joinery, or furnishings shall comply with the requirements for new construction.
  - 1.3.4 Where specific requirements contained in Chapters 10 through 18 differ from general requirements contained in Chapters 1 through 9, the requirements of Chapters 10 through 18 shall govern. Where the requirements in Chapters 19 through 21 differ from the requirements in Chapters 1 through 18, the requirements in Chapters 19 through 21 shall govern.

Shaded text = Revisions.  $\Delta$  = Text deletions and figure/table revisions.  $\bullet$  = Section deletions. N = New material.

- **1.3.5 Provisions in Excess of Code Requirements.** Nothing in this code shall be construed to prohibit additional means of egress, or otherwise safer means of egress than those specified by the minimum requirements of this code.
- **1.3.6\*** This code is not intended for application in addition to *Safety of Life at Sea (SOLAS)* requirements to vessels in international trade.

## 1.4 Equivalency Concepts.

- **1.4.1** Nothing in this code is intended to prevent the use of systems, methods, or devices of equivalent or superior quality, strength, fire resistance, durability, and safety as alternatives to those prescribed in this code.
- **1.4.2** The specific requirements of this code shall be permitted to be modified by the AHJ to allow alternative arrangements that will ensure, as much as practicable, an equivalent level of safety to life from fire, but in no case shall the modification afford less safety to life than that which, in the judgment of the AHJ, would be provided by compliance with the corresponding provisions contained in this code.
- **1.4.3** Vessels with alternative fire protection features accepted by the AHJ shall be considered as conforming with the code.

#### 1.5 Units.

- **1.5.1** Metric units of measurement in this standard are in accordance with the modernized metric system known as the International System of Units (SI).
- **1.5.2** If a value for measurement as provided in this code is followed by an equivalent value in other units, the first stated value is to be regarded as the requirement. A given equivalent value might be an approximation.

## 1.6 Vessel Construction, Repair, and Alteration.

- **1.6.1\*** Vessels built or converted to meet this code shall comply with all of the provisions of the code.
- **1.6.2** Changes in Service. In any vessel, whether necessitating a physical alteration or not, a change in service from one use to another shall be permitted only if such vessel, or portion thereof, conforms with the requirements of this code that apply to new construction for the proposed new use.
- 1.6.3\* Vessels or portions of vessels shall be permitted to be occupied during conversion, repair, alterations, or additions only if all means of egress and all fire protection features are in place and continuously maintained for the occupied portion. Temporarily installed fire protection features shall comply with Section 1.4 of this code.

## 1.7 Maintenance.

- 1.7.1 Whenever or wherever any device, equipment, system, condition, arrangement, level of protection, or any other feature is required for compliance with the provisions of this code, such device, equipment, system, condition, arrangement, level of protection, or other feature shall thereafter be permanently maintained unless the code exempts such maintenance.
- 1.7.2 Additional approved life safety features such as, but not limited to, automatic sprinklers, fire alarm systems, standpipes, and horizontal exits, if not required by the code, shall be permanently maintained or removed.

**1.8 Enforcement.** This code shall be administered and enforced by the authority having jurisdiction designated by the governing authority. (See Annex C for sample wording for enabling legislation.)

## **Chapter 2 Referenced Publications**

- **2.1 General.** The documents or portions thereof listed in this chapter are referenced within this code and shall be considered part of the requirements of this document.
- **2.2 NFPA Publications.** National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02169-7471.
- NFPA 10, Standard for Portable Fire Extinguishers, 2017 edition. NFPA 11, Standard for Low-, Medium-, and High-Expansion Foam, 2016 edition.
- NFPA 13, Standard for the Installation of Sprinkler Systems, 2016
- NFPA 17, Standard for Dry Chemical Extinguishing Systems, 2017 edition
- NFPA 17A, Standard for Wet Chemical Extinguishing Systems, 2017 edition.
- NFPA 22, Standard for Water Tanks for Private Fire Protection, 2013 edition.
- NFPA 25, Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems, 2017 edition.
- NFPA 30, Flammable and Combustible Liquids Code, 2018 edition.
- NFPA 30B, Code for the Manufacture and Storage of Aerosol Products, 2015 edition.
  - NFPA 70<sup>®</sup>, National Electrical Code<sup>®</sup>, 2017 edition.
- NFPA 72<sup>®</sup>, National Fire Alarm and Signaling Code, 2016 edition.
- NFPA 80, Standard for Fire Doors and Other Opening Protectives, 2016 edition.
- NFPA 90A, Standard for the Installation of Air-Conditioning and Ventilating Systems, 2018 edition.
- NFPA 96, Standard for Ventilation Control and Fire Protection of Commercial Cooking Operations, 2017 edition.
  - NFPA 99, Health Care Facilities Code, 2018 edition.
  - NFPA 101®, Life Safety Code®, 2018 edition.
- NFPA 253, Standard Method of Test for Critical Radiant Flux of Floor Covering Systems Using a Radiant Heat Energy Source, 2015 edition.
- NFPA 262, Standard Method of Test for Flame Travel and Smoke of Wires and Cables for Use in Air-Handling Spaces, 2015 edition.
- NFPA 270, Standard Test Method for Measurement of Smoke Obscuration Using a Conical Radiant Source in a Single Closed Chamber, 2013 edition.
- NFPA 286, Standard Methods of Fire Tests for Evaluating Contribution of Wall and Ceiling Interior Finish to Room Fire Growth, 2015 edition
- NFPA 302, Fire Protection Standard for Pleasure and Commercial Motor Craft, 2015 edition.
- NFPA 701, Standard Methods of Fire Tests for Flame Propagation of Textiles and Films, 2015 edition.
- NFPA 750, Standard on Water Mist Fire Protection Systems, 2015 edition.
  - NFPA 1964, Standard for Spray Nozzles, 2013 edition.
- NFPA 1971, Standard on Protective Ensembles for Structural Fire Fighting and Proximity Fire Fighting, 2018 edition.