



New Zealand Standard

Underground fire hydrants

Superseding NZS/BS 750:1984

NZS 4522:2010

COMMITTEE REPRESENTATION

This standard was prepared under the supervision of the P 4522 Committee the Standards Council established under the Standards Act 1988.

The committee consisted of representatives of the following nominating organisations:

Casting Technology New Zealand Inc.

Ingenium

Local Government New Zealand

New Zealand Fire Equipment Manufacturers' Association Inc.

New Zealand Fire Service

New Zealand Transport Agency

Water Industry Operations Group

Water New Zealand

ACKNOWLEDGEMENT

Standards New Zealand gratefully acknowledges the contribution of time and expertise from all those involved in developing this standard.

Standards New Zealand would like to thank the British Standards Institute for use of figure 2, which is based on figure 3 from BS 750:2006.

COPYRIGHT

The copyright of this document is the property of the Standards Council. No part of this document may be reproduced by photocopying or by any other means without the prior written permission of the Chief Executive of Standards New Zealand, unless the circumstances are covered by Part 3 of the Copyright Act 1994.

Standards New Zealand will vigorously defend the copyright in this standard. Every person who breaches Standards New Zealand's copyright may be liable, under section 131(5) (a) of the Copyright Act 1994, to a fine not exceeding \$10,000 for every infringing copy to which the offence relates, but not exceeding \$150,000 for the same transaction, or to imprisonment for a term not exceeding 5 years. Those in breach under section 131(5) (b) of the Copyright Act 1994 may be liable to a fine not exceeding \$150,000 or to imprisonment for a term not exceeding 5 years. If there has been a flagrant breach of copyright, Standards New Zealand may also seek additional damages from the infringing party, in addition to obtaining injunctive relief and an account of profits.

Published by Standards New Zealand, the trading arm of the Standards Council, Private Bag 2439, Wellington 6140. Telephone: (04) 498 5990; Fax: (04) 498 5994; Website: www.standards.co.nz.

AMENDMENTS

| <i>No.</i> | <i>Date of issue</i> | <i>Description</i> | <i>Entered by, and date</i> |
|------------|----------------------|--|-------------------------------|
| 1 | 12/02/2014 | Update the hydrant loss pressure in 7.3.3 to 100 kPa | Incorporated in this edition. |
| | | | |

New Zealand Standard

Underground fire hydrants

Superseding NZS/BS 750:1984

NOTES

CONTENTS

| | |
|--------------------------------|-----|
| Committee representation | IFC |
| Acknowledgement | IFC |
| Copyright | IFC |
| Referenced documents | 5 |
| Related documents | 7 |
| Latest revisions | 7 |
| Review of Standards | 7 |
| Foreword | 8 |
| Outcome statement | 9 |

Section

| | | |
|------|--|----|
| 1 | GENERAL | 11 |
| 1.1 | Scope | 11 |
| 1.2 | Objective | 11 |
| 1.3 | Interpretation | 11 |
| 1.4 | Definitions and abbreviations | 12 |
| 2 | CLASSIFICATION OF HYDRANT | 15 |
| 2.1 | Screw-down hydrant | 15 |
| 2.2 | Gate valve hydrant | 15 |
| 3 | INSTALLATION OF FIRE HYDRANTS | 16 |
| 3.1 | General | 16 |
| 3.2 | Clearances | 16 |
| 3.3 | Clear opening | 16 |
| 3.4 | Surface box | 16 |
| 3.5 | Concrete hydrant riser blocks | 16 |
| 4 | MATERIALS AND COMPONENTS | 19 |
| 4.1 | Materials | 19 |
| 4.2 | Hydrant components in contact with potable water | 21 |
| 4.3 | Dezincification-resistant materials | 21 |
| 5 | HYDRANT DESIGN | 22 |
| 5.1 | General | 22 |
| 5.2 | Allowable operating pressure | 22 |
| 5.3 | Required flow | 22 |
| 5.4 | Dimensions | 23 |
| 5.5 | Component jointing | 23 |
| 5.6 | Spindle design | 26 |
| 5.7 | Threaded outlet design | 27 |
| 5.8 | Stopper design | 28 |
| 5.9 | Design of screw-down hydrant body | 29 |
| 5.10 | Requirements for auto-drain plug | 29 |