NZS 6802:2008

New Zealand Standard

Acoustics – Environmental noise

Superseding NZS 6802:1999

COMMITTEE REPRESENTATION

This Standard was prepared under the supervision of the P 6802 Committee the Standards Council established under the Standards Act 1988.

The committee consisted of representatives of the following nominating organisations:

ECS Ltd
Local Government New Zealand
Massey University
Ministry of Health
New Zealand Acoustical Society
New Zealand Institute of Environmental Health
University of Auckland

ACKNOWLEDGEMENT

Standards New Zealand gratefully acknowledges the contribution of time and expertise from all those involved in developing this Standard. We acknowledge Transit New Zealand's input into the early stages of this document. We also acknowledge use of the following:

Figure 4 – Assessment location sketch example was adapted from Bird -v-South Canterbury Car Club Co65/95 4 NZPTD 693.

Table B2 – One third octave band level differences was adapted from ISO 1996-2:2007 – Acoustics – Description, measurement and assessment of environmental noise – Part 2: Determination of environmental noise levels, Annex D.

Table A1 – Suggested measurement time intervals and number of measurements was based on material from ANSI S12.18-1994 (R2004) Procedures for outdoor measurement of sound pressure level, © 1994, with the permission of the Acoustical Society of America, 35 Pinelawn Road, Suite 114E, Melville, NY 11747.

AMENDMENTS						
No.	Date of issue	Description	Entered by, and date			

NZS 6802:2008

Acoustics – Environmental noise

NOTES

CONTENTS

Com	mittee	e representation	IFC
Ackn	owled	dgement	IFC
Copy	right.		IBC
Refe	rence	d documents	5
Rela	ted do	ocuments	6
Lates	st revi	sions	6
Fore	word		7
Revi	ew of	Standards	7
Sect	ion		
1	SCC	DPE	9
	1.1	General	9
	1.2	Applicability to specific sources	9
	1.3	Applicability of the guideline noise limits	10
2	INT	ERPRETATION	10
	2.1	Terminology	10
	2.2	Residential activity	10
	2.3	Noise	10
	2.4	Time interval	10
3	DEF	FINITIONS	11
4	SYN	/IBOLS	15
	4.1	Quantities	15
	4.2	Notation	15
5	MEA	MEASUREMENT PROCEDURE	
	5.1	Measurements	16
	5.2	Measurement time intervals	16
	5.3	Descriptors	17
	5.4	Adjustments	17
6	RATING LEVEL		18
	6.1	Introduction	18
	6.2	Methods	18
	6.3	Special audible characteristics	21
	6.4	Duration	21
	6.5	Noise limits	22
	6.6	Uncertainty	22

7	LMAX	23
	7.1 Sleep disturbance	23
	7.2 Assessment	23
8	GUIDELINES FOR SETTING NOISE LIMITS	24
	8.1 General	24
	8.2 Noise descriptors	25
	8.3 Times of application	25
	8.4 Measurement locations	26
	8.5 Meteorological conditions	28
	8.6 Guidelines for the protection of health and amenity	28
9	INFORMATION TO BE INCLUDED IN REPORTS	33
Арре	endix	
Α	Assessment guidance and examples (Informative)	34
В	Rating level and adjustments (Normative)	43
С	Rating level detailed method (Normative)	48
Table	e	
1	Symbols for sound quantities	15
2	Duration adjustments	21
3	Guideline residential upper noise limits	28
A1	Suggested measurement time intervals and number of measuremen	ıts35
A2	Car wash example	37
А3	Results and analysis for car wash example	38
A4	Heat pump example	39
A5	Results and analysis for heat pump example	40
A6	Childcare centre example	41
A7	Results and analysis for childcare centre example	42
B1	Adjustments to account for residual sound	46
B2	One-third octave band level differences	47
Figur	re	
1	Total sound, specific sounds, and residual sound	13
2	Examples of time intervals	16
3	Rating level process	20
4	Assessment location sketch example	27
A1	Total sound level at neighbouring dwelling by car wash	37
A2	Total sound level at neighbouring dwelling by heat pump	39
АЗ	Total sound level at neighbouring dwelling by childcare centre	41