

**STANDARD FOR DEVICES AND ACCESSORIES FOR WATER  
TYPE EXTINGUISHING SYSTEMS**

Underwriters Laboratories of Canada (ULC) was established in 1920 by letters patent issued by the Canadian Government. It maintains and operates laboratories and certification services for the examination, testing and certification of appliances, equipment, materials, constructions and systems to determine their relation to life, fire and property hazards as well providing inspection services.

Underwriters Laboratories of Canada is accredited by the Standards Council of Canada as a Certification Organization, a Testing Organization, and an Inspection Body under the National Standards System of Canada.

ULC Standards develops and publishes standards and other related publications for building construction, security and burglar protection, environmental safety, electrical equipment, fire protection equipment, gas and oil equipment, thermal insulation products, materials and systems, energy use in the built environment and electrical utility safety.

ULC Standards is a not-for-profit organization and is accredited by the Standards Council of Canada as a Standards Development Organization.

National Standards of Canada developed by ULC Standards conform to the criteria and procedures established by the Standards Council of Canada. Such standards are prepared using the consensus principle by individuals who provide a balanced representation of interests relevant to the subject area on a national basis.

ULC is represented across Canada as well as many countries worldwide. For further information on ULC services, please contact:

Customer Service: 1-866-937-3852

#### CORPORATE HEADQUARTERS

Underwriters Laboratories of Canada  
7 Underwriters Road  
Toronto, Ontario M1R 3A9  
Telephone: (416) 757-3611  
Fax: (416) 757-9540

#### REGIONAL OFFICES

##### PACIFIC OFFICE

13775 Commerce Parkway, Suite 130  
Richmond, British Columbia V6V 2V4  
Telephone: (604) 214-9555  
Fax: (604) 214-9550

##### EASTERN OFFICE

6505, Rte Transcanadienne, Suite 330  
St-Laurent, Québec H4T 1S3  
Telephone: (514) 363-5941  
Fax: (514) 363-7014

The Standards Council of Canada (SCC) is the coordinating body of the Canadian standardization network, which is composed of people and organizations involved in the development, promotion and implementation of standards. Through the collaborative efforts of Canadian standardization network members, standardization is helping to advance the social and economic well-being of Canada and to safeguard the health and safety of Canadians. The network's efforts are overseen by SCC.

The principal objectives of SCC are to foster and promote voluntary standardization as a means of advancing the national economy, supporting sustainable development, benefiting the health, safety and welfare of workers and the public, assisting and protecting the consumer, facilitating domestic and international trade, and furthering international cooperation in relation to standardization.

An important facet of the Canadian standards development system is the use of the following principles: consensus; equal access and effective participation by concerned interests; respect for diverse interests and identification of those who should be afforded access to provide the needed balance of interests; mechanism for dispute resolution; openness and transparency; open access by interested parties to the procedures guiding the standards development process; clarity with respect to the processes; and Canadian interest consideration as the initial basis for the development of standards.

A National Standard of Canada (NSC) is a standard prepared or reviewed by an SCC-accredited SDO and approved by the SCC according to NSC approval requirements. Approval does not refer to the technical content of the standard, as this remains the responsibility of the SDO. An NSC reflects a consensus of a number of capable individuals whose collective interests provide, to the greatest practicable extent, a balance of representation of general interests, producers, regulators, users (including consumers) and others with relevant interests, as may be appropriate to the subject at hand. NSCs are intended to make a significant and timely contribution to the Canadian interest.

Those who have a need to apply standards are encouraged to use NSCs. These standards are subject to periodic review. Users of NSCs are cautioned to obtain the latest edition from the SDO that publishes the standard.

The responsibility for approving standards as NSCs rests with:

Standards Council of Canada  
270 Albert Street  
Suite 200  
Ottawa, Ontario  
K1P 6N7  
Telephone: (613) 238-3222

For further information on ULC standards, please contact:

#### ULC STANDARDS

171 Nepean Street, Suite 400  
Ottawa, Ontario K2P 0B4  
Telephone: (613) 755-2729  
Fax: (613) 231-5977

E-mail: [customerservice@ulc.ca](mailto:customerservice@ulc.ca)  
Web site: [www.ulc.ca](http://www.ulc.ca)

The intended primary application of this standard is stated in its scope. It is important to note that it remains the responsibility of the user of the standard to judge its suitability for this particular application.

Copies of this National Standard of Canada may be ordered from ULC Standards.

CETTE NORME NATIONALE DU CANADA EST DISPONIBLE EN VERSIONS FRANÇAISE ET ANGLAISE

## STANDARD FOR DEVICES AND ACCESSORIES FOR WATER TYPE EXTINGUISHING SYSTEMS

ICS 13.220.20; 13.320

Prepared and Published by  
**ULC STANDARDS**



Approved by  
**STANDARDS COUNCIL OF CANADA**



First Edition ..... June 1990  
Second Edition.....August 2002  
Third Edition.....July 2008  
**FOURTH EDITION.....SEPTEMBER 2015**

*Copyright © 2015*

ULC Standards

All rights reserved. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior permission of ULC Standards.



## TABLE OF CONTENTS

ULC STANDARDS COMMITTEE ON FIRE ALARM AND LIFE SAFETY EQUIPMENT AND SYSTEMS .....	I
ULC STANDARDS SUBCOMMITTEE ON ACCESSORY DEVICES .....	II
ULC STANDARDS WORKING GROUP ON DEVICES AND ACCESSORIES FOR WATER TYPE EXTINGUISHING SYSTEMS .....	III
PREFACE .....	IV
1 SCOPE .....	1
2 REFERENCE PUBLICATIONS .....	2
3 GLOSSARY .....	5
4 GENERAL .....	5
4.1 COMPONENTS .....	5
4.2 UNITS OF MEASUREMENT .....	6
4.3 REQUIREMENTS FOR WATER TYPE EXTINGUISHING SYSTEMS .....	6
5 INSTRUCTIONS AND INSTALLATION WIRING DIAGRAM .....	6
5.1 GENERAL - ALL PRODUCTS .....	6
5.2 VANE AND PADDLE TYPE DEVICES .....	7
5.3 VALVE POSITION SWITCHES .....	7
6 CONSTRUCTION .....	8
6.1 GENERAL - ALL PRODUCTS .....	8
6.1.1 General .....	8
6.1.2 Sizes .....	8
6.1.3 Assembly .....	8
6.1.4 Working Pressures .....	8
6.1.5 Mounting Positions .....	8
6.2 ENCLOSURE — ALL PRODUCTS .....	9
6.2.1 General .....	9
6.2.2 Cast Metal Enclosures .....	9
6.2.3 Sheet Metal Enclosures .....	10
6.2.4 Nonmetallic Enclosures .....	10
6.3 OPERATING MECHANISMS .....	11
6.4 CORROSION PROTECTION - ALL PRODUCTS .....	11
6.5 FIELD WIRING CONNECTIONS .....	11
6.5.1 General .....	11
6.5.2 Field Wiring Compartment .....	12
6.5.3 Strain Relief .....	12
6.5.4 Field Wiring Terminals and Leads .....	13
6.6 BONDING FOR GROUNDING .....	13
6.7 INTERNAL WIRING .....	14

6.7.1	General	14
6.7.2	Wireways	14
6.7.3	Splices	14
6.7.4	Barriers	15
6.8	COMPONENTS	15
6.8.1	Bushings	15
6.8.2	Printed Wiring Boards	15
6.8.3	Coil Windings	16
6.8.4	Metallic Components	16
6.8.5	Nonmetallic Components	16
6.8.6	Insulating Material	16
6.8.7	Mounting of Parts	17
6.8.8	Switches	17
6.8.9	Operating Mechanisms	17
6.8.10	Mounting Bolts	18
6.8.11	Tamper Protection	18
6.8.12	Adjustments and Stops	18
6.9	ELECTRIC SHOCK - ALL PRODUCTS	19
6.10	SPACINGS	19
6.11	SERVICING AND MAINTENANCE PROTECTION - ALL PRODUCTS	20
6.12	ALARM INITIATING DEVICES	20
6.12.1	General	20
6.12.2	Vane and Paddle Type Devices	20
6.12.2.1	Retard Feature	20
6.12.2.2	Drain Holes	21
<b>7</b>	<b>MARKING</b>	<b>21</b>
7.1	GENERAL - ALL PRODUCTS	21
7.2	ALARM INITIATING DEVICES	22
7.3	ACCESSORIES FOR WATER-SUPPLY CONTROL VALVES	22
<b>8</b>	<b>PERFORMANCE TESTS</b>	<b>22</b>
8.1	GENERAL — ALL PRODUCTS	22
8.1.1	Test Samples	22
8.1.2	Test Voltages	23
8.1.3	Test Samples	23
8.2	NORMAL OPERATION	23
8.2.1	General - All Products	23
8.2.2	Alarm Initiating Devices	24
8.2.3	Pressure-Actuated Devices Sensitivity Test	24
8.2.4	Valve Position Device	24
8.2.5	Temperature Supervisory Device	24
8.2.6	Water Motors	24
8.2.7	Water-Motor and Gong Protection	25
8.2.8	Strainers	25
8.3	CALIBRATION TEST - RETARD FEATURE - VANE & PADDLE TYPE	25
8.4	ENDURANCE TEST	26
8.4.1	General	26
8.4.2	Retard Feature - Vane and Paddle Type	26
8.4.3	Water-Motor and Gong	26
8.4.4	Contact Endurance	26

8.5 OVERLOAD .....	27
8.6 TEMPERATURE .....	28
8.7 INTERFERENCE FROM RADIO FREQUENCY AND ELECTROMAGNETIC RADIATIONS .....	29
8.7.1 General .....	29
8.7.2 Extraneous Radio Frequency Transients .....	29
8.7.3 Supply Line (Low Voltage) Transients .....	29
8.7.4 Internally Induced Transients .....	30
8.7.5 Supply-Line (Extra-Low Voltage) Transients .....	30
8.8 DIELECTRIC VOLTAGE-WITHSTAND .....	30
8.9 POLARITY REVERSAL .....	31
8.10 ELECTRIC SHOCK CURRENT .....	31
8.11 CORROSION - INDOOR USE ONLY .....	33
8.11.1 General - All Products .....	33
8.11.2 Alarm Initiating Devices - Vane and Paddle .....	33
8.12 FLEXING TEST (VANE ASSEMBLY) - ALARM INITIATING DEVICES .....	33
8.13 ABNORMAL OPERATION .....	34
8.14 VARIABLE AMBIENT TEMPERATURE (INDOOR) .....	34
8.15 HUMIDITY (INDOOR) .....	34
8.16 TESTS OF PLASTIC MATERIALS .....	35
8.16.1 General .....	35
8.16.2 Air-Oven Aging Test .....	35
8.16.3 Flame Test .....	35
8.16.4 Immersion Test - Vane and Paddle and Float Type Devices .....	36
8.17 JARRING .....	37
8.18 VIBRATION .....	37
8.19 TESTS OF ELASTOMERIC MATERIALS .....	38
8.19.1 Oxygen Aging Test .....	38
8.19.2 Hardness Measurement - Vane and Paddle or Float Type Device .....	38
8.19.3 Immersion Test (Saddle Gasket) - Vane and Paddle Type .....	38
8.20 IMMERSION TEST (INDICATOR ASSEMBLY) - VANE AND PADDLE OR FLOAT TYPE .....	38
8.21 SENSITIVITY TEST - VANE AND PADDLE TYPE .....	39
8.22 HYDRAULIC FRICTION LOSS TEST - VANE AND PADDLE OR FLOAT DEVICE ..	39
8.23 SURGE TEST - VANE AND PADDLE TYPE .....	40
8.24 HYDROSTATIC STRENGTH TEST - VANE, PADDLE OR FLOAT TYPE .....	40
8.25 MARKING PERMANENCY TESTS .....	41
8.25.1 General .....	41
8.25.2 Environment Exposures .....	41
8.25.2.1 High Temperature .....	41
8.25.2.2 Humidity .....	41
8.25.2.3 Water Immersion .....	41
8.25.3 Permanence Tests .....	42
8.26 MECHANICAL STRENGTH TESTS FOR ENCLOSURES .....	42
<b>9 OUTDOOR-USE PRODUCTS .....</b>	<b>44</b>
9.1 GENERAL .....	44
9.2 CONSTRUCTION .....	44
9.3 PERFORMANCE TESTS .....	44
9.3.1 Water Spray (Rain Exposure) .....	44
9.3.2 Variable Temperature .....	45
9.3.3 Humidity .....	45

9.3.4 Corrosion .....	45
9.3.4.1 General .....	45
9.3.4.2 Salt Spray .....	45
9.3.4.3 Hydrogen Sulphide .....	46
9.3.4.4 Sulphur Dioxide – Carbon Dioxide .....	46
9.3.5 Ultraviolet Light and Water Exposure Test .....	46
9.3.6 Gasket Material Tests .....	46
9.4 DUST EXPOSURE .....	47
9.5 MARKING .....	47
<b>10 MANUFACTURING AND PRODUCTION TESTS .....</b>	<b>48</b>
10.1 GENERAL .....	48
10.2 SENSITIVITY AND RETARD CALIBRATION TEST .....	48
10.3 HYDROSTATIC STRENGTH TEST .....	48
10.4 PRODUCTION-LINE DIELECTRIC VOLTAGE-WITHSTAND TEST .....	48
<b>TABLES .....</b>	<b>50</b>
<b>FIGURES .....</b>	<b>58</b>
<b>APPENDIX A (NORMATIVE) — STANDARDS FOR COMPONENTS .....</b>	<b>63</b>