

CAN/ULC-S588:2017

**STANDARD FOR GAS AND VAPOUR DETECTORS AND
SENSORS, INCLUDING ACCESSORIES**

Prepared and Published by:



Approved by:



Standards Council of Canada
Conseil canadien des normes

Underwriters Laboratories of Canada (ULC) was established in 1920 by letters patent issued by the Canadian Government. It maintains and operates laboratories and certification services for the examination, testing and certification of appliances, equipment, materials, constructions and systems to determine their relation to life, fire and property hazards as well providing inspection services.

Underwriters Laboratories of Canada is accredited by the Standards Council of Canada as a Certification Organization, a Testing Organization, and an Inspection Body under the National Standards System of Canada.

ULC Standards develops and publishes standards and other related publications for building construction, security and burglar protection, environmental safety, electrical equipment, fire protection equipment, gas and oil equipment, thermal insulation products, materials and systems, energy use in the built environment and electrical utility safety.

ULC Standards is a not-for-profit organization and is accredited by the Standards Council of Canada as a Standards Development Organization.

National Standards of Canada developed by ULC Standards conform to the criteria and procedures established by the Standards Council of Canada. Such standards are prepared using the consensus principle by individuals who provide a balanced representation of interests relevant to the subject area on a national basis.

ULC is represented across Canada as well as many countries worldwide. For further information on ULC services, please contact:

Customer Service: 1-866-937-3852

National Standard of Canada

A National Standard of Canada is a standard developed by an SCC-accredited Standards Development Organization (SDO), and approved by the Standards Council of Canada (SCC), in accordance with SCC's: *Requirements and Guidance-Accreditation for Standards Development Organizations*, and *Requirements and Guidance-Approval of National Standards of Canada Designation*. More information on National Standard requirements can be found at www.scc.ca.

An SCC-approved standard reflects the consensus of a number of experts whose collective interests provide, to the greatest practicable extent, a balance of representation of affected stakeholders. National Standards of Canada are intended to make a significant and timely contribution to the Canadian interest.

SCC is a Crown corporation within the portfolio of Industry Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts. Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Users should always obtain the latest edition of a National Standard of Canada from the standards development organization responsible for its publication, as these documents are subject to periodic review.

CORPORATE HEADQUARTERS

Underwriters Laboratories of Canada
7 Underwriters Road
Toronto, Ontario M1R 3A9
Telephone: (416) 757-3611
Fax: (416) 757-9540

REGIONAL OFFICES

PACIFIC OFFICE

13775 Commerce Parkway, Suite 130
Richmond, British Columbia V6V 2V4
Telephone: (604) 214-9555
Fax: (604) 214-9550

EASTERN OFFICE

6505, Rte Transcanadienne, Suite 330
St-Laurent, Québec H4T 1S3
Telephone: (514) 363-5941
Fax: (514) 363-7014

For further information on ULC standards, please contact:

ULC STANDARDS

171 Nepean Street, Suite 400
Ottawa, Ontario K2P 0B4
Telephone: (613) 755-2729

To purchase ULC Standards visit: www.ulc.ca/ulcstandards

The intended primary application of this standard is stated in its scope. It is important to note that it remains the responsibility of the user of the standard to judge its suitability for this particular application.

Copies of this National Standard of Canada may be ordered from ULC Standards.

CETTE NORME NATIONALE DU CANADA EST DISPONIBLE EN VERSIONS FRANÇAISE ET ANGLAISE

**STANDARD FOR GAS AND VAPOUR DETECTORS AND SENSORS,
INCLUDING ACCESSORIES**

ICS 13.320, 91.120

Prepared and Published by:



Approved by:



FIRST EDITIONAPRIL, 2017

Copyright © 2017

ULC Standards

All rights reserved. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior permission.

TABLE OF CONTENTS

ULC STANDARDS COMMITTEE ON FIRE ALARM AND LIFE SAFETY EQUIPMENT AND SYSTEMS	I
ULC STANDARDS SUBCOMMITTEE ON SMOKE AND HEAT DETECTORS AND ALARMS	II
ULC STANDARDS WORKING GROUP ON GAS AND VAPOUR DETECTORS AND SENSORS	III
PREFACE	IV
1 SCOPE	1
2 GENERAL	2
2.1 COMPONENTS	2
2.2 UNITS OF MEASUREMENT	2
2.3 REFERENCE PUBLICATIONS	2
3 GLOSSARY	4
4 DETECTOR OR SENSOR RELIABILITY PREDICTION	7
4.1 GENERAL	7
4.2 DETECTORS	7
4.3 SENSORS	7
4.4 COMPONENT	8
5 INSTALLATION AND OPERATING INSTRUCTIONS	9
6 COMPATIBILITY	9
6.1 GENERAL	9
6.2 CHANGES AFFECTING COMPATIBILITY	10
7 CONSTRUCTION: ASSEMBLY	10
7.1 ASSEMBLY	10
7.2 REMOTE ACCESS	10
7.3 SENSITIVITY INDICATING MEANS	10
7.4 MAINTENANCE (FIELD CLEANING)	11
7.5 SERVICING AND MAINTENANCE PROTECTION	11
8 CONSTRUCTION: ALL PRODUCTS	12
8.1 GENERAL	12
8.2 ENCLOSURE	13
8.2.1 General	13
8.2.2 Cast Metal Enclosures	13
8.2.3 Sheet Metal Enclosures	14
8.2.4 Nonmetallic Enclosures	14
8.2.5 Sensitivity Adjustment	15

8.2.6	Sharp Edges	15
8.2.7	Ventilating Openings	15
8.2.8	Covers	15
8.2.9	Battery Removal Indicator	16
8.2.10	Transparent Panels	17
8.2.11	Accessibility of uninsulated live parts, film-coated wire, and moving parts	17
8.2.12	Corrosion Protection	17
8.3	FIELD WIRING CONNECTIONS	18
8.3.1	General	18
8.3.2	Field Wiring Compartment	18
8.3.3	Field-Wiring Terminals (General)	19
8.3.4	Special Field-Wiring Terminals (Qualified Application)	19
8.3.5	Field Wiring Leads	20
8.3.6	Grounded Supply Terminals and Leads	20
8.3.7	Grounded Terminals and Leads	20
8.3.8	Isolated (nongrounded) detectors/sensors	21
8.3.9	Internal Wiring	22
8.3.9.1	General	22
8.3.9.2	Wireways	22
8.3.9.3	Splices	22
8.3.9.4	Barriers	23
8.3.9.5	Strain Relief	23
8.4	SERVICING PROTECTION	23
8.4.1	General	23
8.4.2	Trained Service Personnel	23
8.5	BONDING FOR GROUNDING	24
8.6	COMPONENTS	25
8.6.1	Mounting of Components	25
8.6.2	Operating Components	25
8.6.3	Current-Carrying Parts	26
8.6.4	Bushings	26
8.6.5	Electrical Insulating Material	26
8.6.6	Visual Indicators	27
8.6.7	Protective Devices	27
8.6.8	Printed Circuit Boards	27
8.6.9	Switches	28
8.6.10	Transformers and Coils	28
8.6.11	Dropping Resistors	28
8.6.12	Spacings	28
8.6.12.1	General	28
8.6.12.2	PCBA Clearance A (Equivalency)	29
8.6.12.3	PCBA Clearance B (Controlled Overvoltage)	29
8.6.12.4	Pollution degree	30
8.6.12.5	Switching test	30
8.6.13	Batteries	31
8.6.13.1	General	31
8.6.13.2	Battery Connections	31
9	PERFORMANCE	31
9.1	GENERAL	31
9.2	TEST VOLTAGES	32
9.3	TEST SAMPLES AND DATA	32

9.4 SENSITIVITY LIMITS	32
9.4.1 General	32
9.4.2 Sensitivity Calibration	33
9.4.3 Test Chamber	34
9.4.4 Carbon Monoxide Sensitivity	34
9.4.5 Uniformity of Operation	35
9.5 TEST METHOD	35
9.5.1 General	35
9.5.2 Carbon Monoxide detector	36
9.5.3 Gas and Vapour Detector (Except Carbon Monoxide Detector) Generic Test Method	36
9.5.4 Multi-Criteria Detectors	36
9.5.5 Air Duct Detector	37
9.5.6 Detector guards	37
9.5.7 Accessories	37
9.5.8 Mask for Calibration and Tests	37
9.5.9 Flow Rate for Test Gases	38
9.6 TEST CONDITIONS	38
9.6.1 General	38
9.6.2 Warm-up time	38
9.7 TESTS AND ANALYSIS	38
9.8 NORMAL OPERATION TEST	38
9.8.1 General	38
9.8.2 Standardized Alarm Signal for Carbon Monoxide Detectors	39
9.8.3 Supplementary Signaling Feature	39
9.9 ELECTRICAL SUPERVISION TEST	40
9.9.1 General	40
9.9.2 AC Powered Units	41
9.9.3 Battery Powered Units	41
9.9.4 End-Of-Life Signal	42
9.9.5 Component Failure	42
9.9.6 External Wiring	43
9.10 CIRCUIT MEASUREMENT TEST	43
9.10.1 General	43
9.10.2 Battery Trouble Voltage Determination	43
9.11 ORIENTATION TEST	45
9.12 BOUNCE TEST	45
9.12.1 General	45
9.12.2 Test Apparatus	45
9.12.3 Bounce Test Procedures	45
9.12.3.1 General	45
9.12.3.2 Test Procedure	46
9.13 DROP TEST	46
9.14 VIBRATION TEST	46
9.15 EFFECT OF SHIPPING AND STORAGE	47
9.16 SENSITIVITY TEST	47
9.16.1 General	47
9.16.2 Time of Response	48
9.16.2.1 General	48
9.16.2.2 Aspirated Gas and Vapour Detectors and Sensors	48
9.16.2.3 Gas and Vapour Detectors and Sensors that Sample by Diffusion: Calibration Mask Method	48
9.16.2.4 Gas and Vapour Detectors and Sensors that Sample by Diffusion:	

Applicator Method	49
9.16.2.5 Gas and Vapour Detectors and Sensors that Sample by Diffusion: Test Chamber Method	49
9.16.2.6 Step Change and Flooding with Undiluted Gas Test	50
9.16.3 High Gas Concentration Operation Above the Measuring Range	50
9.16.3.1 General	50
9.16.3.2 Spot-Type Detectors And Sensors	50
9.16.3.3 Detectors And Sensors Other Than Spot-Type	50
9.16.4 Stability Tests – Multi-criteria Detectors Incorporating Gas Sensor(s)	50
9.16.5 Selectivity Test	51
9.16.6 Gas or Vapour Entry (Stack Effect) Test	52
9.16.7 Other Gas and Vapour <i>Sensitivity: Multi-criteria Detector: Incorporating Gas and Vapour Sensor</i>	52
9.16.8 Flow Rate for Aspirated Gas and Vapour Detectors and <i>Sensors</i>	53
9.17 OVERVOLTAGE TEST	53
9.18 UNDERVOLTAGE TEST	53
9.19 VARIABLE AMBIENT TEMPERATURE TEST	53
9.20 HUMIDITY TEST	54
9.20.1 General	54
9.20.2 High Humidity (non-condensing) Test	54
9.20.3 Low Humidity Test	55
9.21 AIR VELOCITY TEST	55
9.21.1 General	55
9.21.2 Test conditions	55
9.22 PRESSURE	55
9.23 AIR DUCT APPLICATION	56
9.24 RADIO FREQUENCY INTERFERENCE TEST	56
9.24.1 GENERAL	56
9.24.2 Power Output from the Antenna	56
9.24.3 Field Strength	56
9.25 TRANSIENT TESTS	57
9.25.1 General	57
9.25.2 Internally induced transients	57
9.25.3 Extraneous Transients	57
9.25.4 Surge Immunity Test (Combination Wave)	58
9.25.5 Surge Current Test	59
9.25.6 Supply line (ring wave surge voltage) transients	59
9.25.7 Supply line (extra-low-voltage circuit) transients	60
9.26 POLARITY REVERSAL TEST	60
9.27 STABILITY TESTS	60
9.27.1 General	60
9.27.2 Short-term stability	61
9.27.3 Long-term stability	61
9.28 SHORT RANGE RADIO FREQUENCY DEVICES	61
9.28.1 General	61
9.28.2 Reference Level Determination	62
9.28.3 Interference Immunity	62
9.28.3.1 General	62
9.28.3.2 Single Channel	62
9.28.3.3 Frequency-Hopping Spread Spectrum Type Systems	63
9.28.4 Frequency Selectivity	63
9.28.5 Time to Report Alarm	64
9.28.6 Inoperative Transmitter Reporting	64

9.28.7	Clash Error	65
9.28.8	Error (Falsing) Rate	65
9.28.9	Throughput Rate	66
9.28.10	Maximum Duration of Transmission	66
9.28.11	Battery Status Indication	66
9.28.12	Transmitter Stability Tests	67
9.28.13	Transmitter Accelerated Aging Test	67
9.28.14	Installation Instructions and User Manual	67
9.29	BATTERY TESTS	68
9.29.1	General	68
9.29.2	Battery Replacement Test	69
9.29.3	Portable Detector and Sensor Battery Test	69
9.29.3.1	General	69
9.29.3.2	Battery-Powered Portable Continuous Duty Detectors And Sensors	69
9.29.3.3	Battery-Powered Portable Spot-Reading Detectors And <i>Sensor</i>	69
9.30	POWER SUPPLY TESTS	69
9.31	POWER SOURCE LIMITATIONS FOR CLASS 2 CIRCUITS TEST	70
9.31.1	General	70
9.31.2	Maximum Voltage	70
9.31.3	Maximum Current	70
9.32	LEAKAGE CURRENT TEST	71
9.33	DUST TEST	72
9.34	TEMPERATURE TEST	73
9.35	ENDURANCE TEST	75
9.36	OVERLOAD TEST	76
9.36.1	Detector	76
9.36.2	Separately energized circuits	77
9.37	ELECTROSTATIC DISCHARGE TEST	77
9.38	ABNORMAL OPERATION TEST	77
9.39	ELECTRIC SHOCK CURRENT TEST	78
9.40	DIELECTRIC VOLTAGE-WITHSTAND TEST	80
9.41	DIELECTRIC VOLTAGE-WITHSTAND TESTING IN LIEU OF MEASURING CLEARANCES	81
9.42	BURNOUT TEST	81
9.43	AUDIBLE SIGNALING APPLIANCE	82
9.44	JARRING TEST	83
9.45	STRAIN RELIEF TEST	83
9.45.1	General	83
9.45.2	Strain Relief (Special Field-Wiring Terminals)	84
9.46	REPLACEMENT TEST, HEAD AND COVER	84
9.47	AUDIBILITY TEST	84
9.47.1	Sound Output Measurement	84
9.47.2	Alarm duration test	85
9.47.3	Supplementary Remote Sounding Appliances	85
9.48	PAINT LOADING TEST	85
9.49	LOCKED ROTOR TEST – MOTORS	85
9.50	TESTS ON POLYMERIC MATERIALS	86
9.50.1	General	86
9.50.2	Temperature Test	86
9.50.3	Flame Test 19 mm (3/4 Inch)	86
9.50.4	Flame Test 127 mm (5 inch)	87
9.51	CONFORMAL COATINGS ON PRINTED CIRCUIT BOARDS	89
9.51.1	General	89

9.51.2 Low Voltage Printed Circuit Boards	89
9.51.3 High Voltage Printed Circuit Boards	89
9.52 MECHANICAL STRENGTH TESTS FOR METAL ENCLOSURES AND GUARDS ...	90
9.53 FIELD SERVICE TESTS	91
9.53.1 Go/No-Go Field Test (For Gas Sensors Used In Multi-Criteria Carbon Monoxide Detectors)	91
9.53.2 Sensor Replacement Test	91
9.54 CORROSION TEST	91
9.54.1 Corrosion Test – 21 Day	91
9.54.2 Corrosion Test (10 day)	92
9.54.3 10 Day Corrosion – Test equipment	92
9.54.4 Corrosion (Salt Spray) Test	93
10 MARKING	93
10.1 GENERAL	93
10.2 PERMANENCE OF MARKING	97
11 INSTALLATION WIRING DIAGRAM-ALL DETECTORS	97
12 MANUFACTURING AND PRODUCTION TESTS	98
12.1 GENERAL	98
12.2 SENSITIVITY CALIBRATION TESTS	98
12.3 MEASUREMENT OF IN-SERVICE RELIABILITY	99
12.3.1 In-Service Reliability	99
12.3.2 Multi-Criteria Detector With Gas Sensor	99
12.3.3 Sample Frequency and Sample Size	99
12.3.4 Test Results and Record Keeping	100
12.4 PRODUCTION LINE DIELECTRIC VOLTAGE-WITHSTAND TESTS	100
12.5 PRODUCTION LINE GROUNDING CONTINUITY TESTS	101
12.6 AUDIBILITY TEST	101
12.7 ALARM SHIPMENT	101