

**ULC
STANDARD**

**ULC-S318:1996-R2016
(Reaffirmed 2016)**

**STANDARD FOR POWER SUPPLIES FOR BURGLAR ALARM
SYSTEMS**

Prepared and Published by:



ULC Standards
Normes ULC

This is a preview. [Click here to purchase the full publication.](#)

Underwriters Laboratories of Canada (ULC) was established in 1920 by letters patent issued by the Canadian Government. It maintains and operates laboratories and certification services for the examination, testing and certification of appliances, equipment, materials, constructions and systems to determine their relation to life, fire and property hazards as well providing inspection services.

Underwriters Laboratories of Canada is accredited by the Standards Council of Canada as a Certification Organization, a Testing Organization, and an Inspection Body under the National Standards System of Canada.

ULC Standards develops and publishes standards and other related publications for building construction, security and burglar protection, environmental safety, electrical equipment, fire protection equipment, gas and oil equipment, thermal insulation products, materials and systems, energy use in the built environment and electrical utility safety.

ULC Standards is a not-for-profit organization and is accredited by the Standards Council of Canada as a Standards Development Organization.

ULC Standards are prepared using the consensus principle by individuals who provide a balanced representation of interests relevant to the subject area on a national basis.

ULC is represented across Canada as well as many countries worldwide.
For further information on ULC services, please contact:

CORPORATE HEADQUARTERS

Underwriters Laboratories of Canada
7 Underwriters Road
Toronto, Ontario M1R 3A9
Telephone: (416) 757-3611
Fax: (416) 757-9540
Customer Service: 1-866-937-3852

REGIONAL OFFICES

EASTERN OFFICE

6505, Rte Transcanadienne, Suite 330
St-Laurent, Québec H4T 1S3
Telephone: (514) 363-5941
Fax: (514) 363-7014
Customer Service: 1-866-937-3852

PACIFIC OFFICE

13775 Commerce Parkway, Suite 330
Richmond, British Columbia V6V 2V4
Telephone: (604) 214-9555
Fax: (604) 214-9550
Customer Service: 1-866-937-3852

For further information on ULC standards, please contact:

ULC STANDARDS

171 Nepean Street, Suite 400
Ottawa, Ontario K2P 0B4
Telephone: (613) 755-2729
Fax: (613) 231-5977
Customer Service: 1-866-937-3852

E-mail: customerservice@ulc.ca
Web site: www.ulc.ca

The intended primary application of this standard is stated in its scope. It is important to note that it remains the responsibility of the user of the standard to judge its suitability for the particular application.

Copies of this ULC Standard may be ordered from ULC Standards.

STANDARD FOR POWER SUPPLIES FOR BURGLAR ALARM
SYSTEMS

ICS 13.310, 29.260.01

Prepared and Published by:



First EditionMay 1996
REAFFIRMED**MARCH 2016**

Copyright © 2016

ULC Standards

All rights reserved. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior permission.

TABLE OF CONTENTS

ULC COMMITTEE ON BURGLAR ALARM EQUIPMENT AND SYSTEMS	i
ULC SUBCOMMITTEE ON POWER SUPPLIES FOR BURGLAR ALARM SYSTEMS	ii
REFERENCE PUBLICATIONS	iii
PREFACE	1
1. SCOPE.....	2
2. GLOSSARY	2
3. CONSTRUCTION	3
3.1 GENERAL	3
3.2 UNINTERRUPTABLE POWER SUPPLIES (UPS)	3
3.2.1 General	3
3.2.2 Power Supply (Part of Control Unit and Intended to Power Detectors)	3
3.2.3 Stand-Alone Power Supply	3
3.3 POWER SUPPLY APPLICATION.....	4
3.4 BATTERIES	4
4. PERFORMANCE (OPERATIONS)	4
4.1 NORMAL OPERATION.....	4
4.2 DIELECTRIC VOLTAGE WITHSTAND	4
4.3 OVERVOLTAGE AND UNDERVOLTAGE.....	4
4.4 CURRENT OVERLOAD.....	5
4.5 BATTERY STANDBY.....	5
4.5.1 General	5
4.5.2 Transfer to Standby.....	5
4.6 AUTOMATIC BATTERY DISCONNECT.....	5
4.7 ELECTRICAL HAZARDS	5
4.8 TEMPERATURE	5
4.8.1 Indoor Use.....	5
4.8.2 Outdoor Use.....	6
4.8.3 Hazardous Location	6
4.9 HUMIDITY	6
4.10 OUTDOOR USE POWER SUPPLY.....	6
4.10.1 Rain.....	6
4.11 ENDURANCE	6
4.11.1 Output	6
4.11.2 Input	6
4.12 TRANSIENTS	6
4.12.1 General	6
4.12.2 Output Circuit Transients	7
4.12.3 Radio Frequency Interference.....	7
4.13 BURN-OUT	7
4.14 VISUAL INDICATION FEATURE.....	7
4.15 TIME LIMITED FEATURE.....	7
4.16 POWER SUPPLY REGULATION	7
4.17 JARRING	7
4.18 VIBRATION.....	8
5. TESTS.....	8
5.1 NORMAL OPERATION TEST	8
5.1.1 General	8
5.1.2 Electrical Rating	8
5.2 DIELECTRIC VOLTAGE WITHSTAND TEST	8

[This is a preview. Click here to purchase the full publication.](#)

5.3	OVERVOLTAGE AND UNDERVOLTAGE TEST	9
5.4	CURRENT OVERLOAD TEST	9
5.5	BATTERY AND BATTERY CHARGER TESTS	9
5.5.1	General	9
5.5.2	Discharged Battery - First Trial	10
5.5.3	Charged Battery	10
5.5.4	Discharged Battery - Second Trial	10
5.5.5	Battery Compartment Ventilation	10
5.6	AUTOMATIC BATTERY DISCONNECT TEST	10
5.7	ELECTRICAL HAZARDS TEST	11
5.7.1	Electric Shock	11
5.7.2	Leakage Current Test - Cord Connected Products	12
5.8	TEMPERATURE RISE TEST	14
5.9	HUMIDITY TEST	15
5.10	RAIN TEST - OUTDOOR USE POWER SUPPLY	15
5.11	ENDURANCE TEST	16
5.12	TRANSIENT TESTS	17
5.12.1	General	17
5.12.2	Supply Line Transients	17
5.12.3	Internally Induced Transients	17
5.12.4	Radio Frequency Interference Test	17
5.12.5	Input/Output Circuit Transients	18
5.13	ABNORMAL OPERATION TEST	19
5.13.1	General	19
5.13.2	Output Short-Circuit	19
5.13.3	Blocked Fan	20
5.13.4	Variable Auto-Transformer Operation	20
5.14	VISUAL INDICATION FEATURE TEST	20
5.15	TIME LIMITED FEATURE TEST	20
5.16	POWER SUPPLY REGULATION TEST	20
5.17	JARRING TEST	20
5.18	VIBRATION TEST	21
6.	MARKING, INSTRUCTIONS, AND DOCUMENTATION	21
6.1	GENERAL	21
6.2	IDENTIFICATION AND RATING	22
6.3	CAUTIONS OR WARNINGS	22
6.4	DOCUMENTATION	22
	TABLES	23
	FIGURES	28
	APPENDIX A	34
A1	BATTERY LOAD/SIZING	34